
Subject: Re: Widget_Control

Posted by [scollick](#) on Wed, 29 Jun 1994 23:25:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

Kelly Dean (dean@phobos.cira.colostate.edu) wrote:

> I am attempting to use WIDGET_CONTROL to pass a structure to a widget
> _EVENT PRO. However, I am getting an invalid event id. I am working with
> IDL for Windows 3.5.1.

> My goal here is to have two separate window displays with the cursor
> dumping from either window 1 or window 2.

[program deleted]

I have included below my fix to the program. You do not need to use WIDGET_EVENT to get the x and y values. They are passed along with the WIDGET_DRAW structure. I tried to mark the parts I changed. Let me know if there are problems of if you have any questions.

--Keith A. Scollick

```
BEGIN file.pro -----
FUNCTION Read_Image_Data, file, xsize, ysize

IF N_Params() NE 3 THEN $
    Message, 'Must call Read_Image_Data with three parameters.'

Openr, unit, file, /Get_LUN
image = BytArr(xsize,ysize)
ReadU, unit, image
Free_LUN, unit
Return, image
END

PRO KD_DISPLAY_EVENT, event

Widget_Control, event.id, GET_UVALUE = eventval
WIDGET_CONTROL, event.handler, GET_UVALUE = WDRAWstr

CASE eventval OF
    "DRAW_WIN_EVENT" : BEGIN
        WSET, WDRAWSTR.Win_id
        WSHOW, WDRAWSTR.Win_id
        x = event.x ; *****
        y = event.y ; *****
        ;PRINT, ' X >', x, ' Y >', y
        xy = strtrim(x)+' '+strtrim(y) ; *****
        widget_control,wdrawstr.place,set_value=xy ; *****
```

```

        END
    ENDCASE
END

PRO KD_DISPLAY, Parent, name, image, xsize, ysize, wedit ; *****

wBase = WIDGET_BASE(title = name, GROUP_LEADER = Parent)
wDraw = WIDGET_DRAW(wBase, $
    UVALUE = 'DRAW_WIN_EVENT', $
    XSIZE=xsize, YSIZE=ysize, $
    /MOTION_EVENTS, $
    /BUTTON_EVENTS, $
    RETAIN = 2)

WIDGET_CONTROL, wBase, /REALIZE

WIDGET_CONTROL, wDraw, GET_VALUE = Win

WSET, Win
WSHOW, Win
TV, image

WDRAWstr = { WDRAWSTR, Par_id:Parent, Win_id:Win, place:wedit } ; *****
XManager, 'KD_DISPLAY' , wBase

WIDGET_CONTROL, wBase, SET_UVALUE = WDRAWstr

END

PRO mine_event, event

    widget_control, event.top, get_uvalue=wedit ; *****
    WIDGET_CONTROL, Event.Id, GET_UVALUE = Ev

CASE Ev OF

"IMAGE1": BEGIN
    name = 'ctscan.dat'
    xsize = 256
    ysize = 256
    image = Read_Image_Data(Filepath(Subdir='images', name), $
        xsize, ysize)
    KD_DISPLAY, Event.top, name, image, xsize, ysize, wedit ; **
    END

"IMAGE2": BEGIN

```

```
name = 'galaxy.dat'
xsize = 256
ysize = 256
image = Read_Image_Data(Filepath(Subdir='images', name), $
    xsize, ysize)
KD_DISPLAY, Event.top, name, image, xsize, ysize, wedit ; **
END
```

```
"QUIT": WIDGET_CONTROL, Event.Top, /DESTROY
```

```
ENDCASE
```

```
if widget_info(event.top, /valid) then $ ; *****
    widget_control, event.top, set_uvalue=wedit ; *****
```

```
END
```

```
PRO MINE
```

```
wBase = WIDGET_BASE(/COLUMN)
wBase2 = WIDGET_BASE(wBase, /ROW)
```

```
wButton = WIDGET_BUTTON(wBase2, VALUE="Image1", UVALUE="IMAGE1")
wButton = WIDGET_BUTTON(wBase2, VALUE="Image2", UVALUE="IMAGE2")
```

```
wBase2 = WIDGET_BASE(wBase, /ROW)
```

```
wLabel = WIDGET_LABEL(wBase2, VALUE="Cursor position:", /FRAME)
wEdit = WIDGET_TEXT(wBase2, VALUE='0,0', EDITABLE=0)
```

```
wButton = WIDGET_BUTTON(wBase, VALUE="Quit", UVALUE="QUIT")
```

```
WIDGET_CONTROL, wBase, /REALIZE
```

```
widget_control,wbase, set_uvalue=wedit ; *****
```

```
XMANAGER, "MINE", wBase
```

```
END
```

```
END file.pro -----
```
