
Subject: Re: A question to all you DLM experts...

Posted by [Randall Skelton](#) on Sat, 09 Jun 2001 22:19:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks to Jim, who pointed out that 10*2 is 20 not 100.

i.e. 'for i=0; i<100; i++' should be 'for i=0; i<dim[0]*dim[1]; i++'

I hate it when I do that...

Cheers,
Randall

On Sat, 9 Jun 2001, Randall Skelton wrote:

```
> Hi all,
>
> There is something subtle that I'm missing here... I have a trivial DLM
> called 'array from nothing' because it is supposed to create an array in C
> using IDL temporary memory and then return it to IDL using VarCopy. The
> problem is, when I initially define my new array, it works fine, but that
> variable name seems to be defunct for re-assignment? What exactly does,
> 'Array has a corrupted descriptor' mean?
>
> -----
> IDL> ok=arrayfromnothing(a)
> % Loaded DLM: MYIDL.
> IDL> print, a
>    0.00000    1.00000    4.00000    9.00000    16.0000
>    25.0000    36.0000    49.0000    64.0000    81.0000
>    100.000    121.000    144.000    169.000    196.000
>    225.000    256.000    289.000    324.000    361.000
> IDL> help, a
> A          FLOAT    = Array[10, 2]
> IDL> a=fltarr(10,2)
> % Array has a corrupted descriptor: A.
> % Execution halted at: $MAIN$
> IDL> help, a
> A          UNDEFINED = <Undefined>
> -----
>
> Below is the DLM code. Any comments?
>
> Cheers,
> Randall
>
> -----
> /* function: arrayFromNothing */
```

```

> IDL_VPTR IDL_CDECL arrayFromNothing(int argc,
>     IDL_VPTR argv[], char *argk) {
>     /* Called in IDL as:
>      *   ret = arrayFromNothing(new_array)
>      */
>
>     /* general index */
>     int i;
>
>     /* local pointer */
>     float *ptr;
>
>     /* IDL specific */
>     IDL_MEMINT dim[2];
>     IDL_VPTR tmp;
>
>     /* set the correct dimension for the new array */
>     dim[0]=10;
>     dim[1]=2;
>
>     /* Make Sure we can write to it, free anything already associated */
>     IDL_StoreScalarZero(argv[0], IDL_TYP_FLOAT);
>
>     /* make a temporary IDL array with the same memory address as ptr */
>     ptr=(float *)IDL_MakeTempArray(IDL_TYP_FLOAT,2,dim,IDL_ARR_INI_ZERO,&am p;tmp);
>
>     /* fill the array */
>     for(i=0;i<100;i++) ptr[i]=i*i;
>
>     /* copy the IDL_VPTR tmp to passed arg */
>     IDL_VarCopy(tmp,argv[0]);
>
>     /* return 1 signifying no errors in execution */
>     return (IDL_GettmpLong(1));
> }
>
>

```
