
Subject: Re: routine for GRIB data

Posted by [Martin Schultz](#) on Fri, 06 Jul 2001 16:44:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

wmc@bas.ac.uk writes:

> Mark Hadfield <m.hadfield@niwa.cri.nz> wrote:
>> I vaguely recall reading GRIB data some years ago by trapping output from
>> the wgrib command-line program. This is not the ideal way to do it!
>
> Oh dear. I still do this. It works, if you're going to convert all
> your files to another format. Too slow for reading lots in real time,
> though.
>
> -W
>
> --
> William M Connolley | wmc@bas.ac.uk | <http://www.nerc-bas.ac.uk/icd/wmc/>
> Climate Modeller, British Antarctic Survey | Disclaimer: I speak for myself
> I'm a .signature virus! copy me into your .signature file & help me spread!
>

Hi you fellow GRIBBERS ;-)

As I am repeatedly faced with the same problem, I started out on a `read_wgrib` routine. As the name says, it also uses `wgrib` to analyse the GRIB file, but I tried to optimise it a little bit here and there, so it's already working for some applications. There is a lot of timing output in the current version of the program and you can quickly locate where it spends all it's time: it is the analysis of the header information provided by `wgrib` that takes up most of the time. This immediately leads to 3 suggestions:

- (1) analyse only the part of the header that you really need
- (2) make `read_wgrib` an object so that at least you scan the header only once for an individual file
- (3) ask the `wgrib` developer for a binary or more formatted header output. Currently it is necessary to do some string parsing, and if this could be avoided and instead a formatted read could be used, that would probably save a lot of time.

The program is attached below. Current limitation: it can only read gridded data as I would need to find a way to assess the dimensions of spectral data. (I believe this is possible if one converts the data with header, but I didn't have time to test).

Interface:

PRO `read_wgrib`, data, filename=filename, \$

```
code=code, date=date, timestep=timestep, level=level, $
metadata=metadata, dims=dims, $
header_only=header_only
```

data will be a structure with tags like CODE100, CODE234, etc. Names should be added eventually, but I had trouble with getting my own code table to work properly and in a flexible way, so I decided to go for code number rather than a wrong name.

The code, date, timestep, level keywords are input, metadata and dims are output, and header_only is a switch. Timestep is computed by counting the unique date values, and is thus equivalent to date, but you don't need to know the date value.

I'd be happy to hear if this works for you, and I'd be even happier if someone takes it from here and makes it a real library tool.

Best regards,

Martin

```
--
[[ Dr. Martin Schultz  Max-Planck-Institut fuer Meteorologie  [[
[[          Bundesstr. 55, 20146 Hamburg          [[
[[          phone: +49 40 41173-308          [[
[[          fax: +49 40 41173-298          [[
[[ martin.schultz@dkrz.de          [[
[[          [[          [[          [[          [[
```

```
;+
;
; NAME:
;   read_wgrib
;
; PURPOSE:
;   Read GRIB formatted data files using the wgrib utility
;
; NOTES:
;   (1) Currently supports only grid point fields (record size of
;   spectral fields is a little harder to determine). Use h option
;   with wgrib to get record size!!!!
;   (2) Analysing header is the slowest process: need to improve!!
;   (3) Add code names!! Use gribtab file ....
;   (4) Add dimensional information from grid object ....
```

```

; (5) Rewrite as object ....
;
;
; MODIFICATION HISTORY:
; mgs, 05 Jul 2001 : VERSION 0.1
;
;
;-

```

FUNCTION parse_wgrib_line, line

```

;; Extract the information from one wgrib output line

;; Define result structure
;; The inventory consists of several fields separated by colons. The contents
;; of the fields are:
;; 1. Record number
;; 2. Position in bytes
;; 3. Date (YYMMDDHH).
;; 4. Parameter name (LAND=land/sea mask) [not used]
;; 5. Indicator of parameter and units (grib PDS octet 9)
;; 6. Type of level/layer (grib PDS octet 10)
;; 7. Height, pressure, etc (grib PDS octets 11-12)
;; 8. Time Range (grib PDS octet 21)
;; 9. Period of time 1, (grib PDS octet 19)
;; 10. Period of time 2, (grib PDS octet 20)
;; 11. Forecast time unit (grib PDS octet 18)
;; 12. level
;; 13. anl=analysis, fcst=forecast
;; 14. Nave (number of grids used to make average)
;;
;; Value-added information:
;; timestep : n-th different date value
;; nx, ny : the grid dimensions for gridded data
;; gridtype : the grid type (4=gaussian)
;; text : the original string as read from wgrib output

template = { grib_record, $
              recno:0L, pos:0L, date:", code:-1L, $
              levtype:0L, type:0L, $
;;            TR:0L, p1:0L, p2:0L, TU:0L, $
              level:", ana_fcst:", gridav:0L, $
              timestep:-1L, nx:0L, ny:0L, gridtype:-1L, text:" }

tags = StrTok(line,':',/extract)
template.recno = Long(tags[0])
template.pos = Long(tags[1])
template.date = StrMid(tags[2],2)
;; template.codename = Long(tags[3]) ; code name (requires proper

```

```

;;                               ; code table)
template.code   = Long(StrMid(tags[4],6))
template.levtype = Long(StrMid(tags[5],6))
template.type   = Long(StrMid(tags[6],6))
; template.tr   = Long(StrMid(tags[7],3))
; template.p1   = Long(StrMid(tags[8],3))
; template.p2   = Long(StrMid(tags[9],3))
; template.tu   = Long(StrMid(tags[10],6))
template.level  = StrTrim(tags[11],2)
template.ana_fcst = StrTrim(tags[12],2)
template.gridav = Long(StrMid(tags[13],5))
template.text   = line

```

RETURN, template

END

PRO get_wgrib_extrainfo, metadata, filename, inventoryfile

```

;; Get more specific grid information for individual codes
;; Use position parameter from previous scan to avoid lengthy scans
ucodes = get_wgrib_info(metadata, /CODES)

```

FOR i=0L, N_Elements(ucodes)-1 DO BEGIN

```

    first = ( where(metadata.code EQ ucodes[i]) )[0]
;   cmd = 'echo '+metadata[first].text+' | wgrib -i -V '+filename
    cmd = 'wgrib -V -p '+StrTrim(metadata[first].pos,2)+' '+filename
    spawn, cmd, result
    w = Where(StrPos(result,'nx') GT 0, cnt)
    IF cnt GT 0 THEN BEGIN
        result = result[w[0]]
        p0 = StrPos(result,'nx')
        p1 = StrPos(result,'ny')
        nx = Long(StrMid(result,p0+3,p1-p0-3))

        p0 = p1
        p1 = StrPos(result,'GDS')
        ny = Long(StrMid(result,p0+3,p1-p0-3))

        p0 = StrPos(result,'grid')
        p1 = StrPos(result,'num_in')
        gridtype = Long(StrMid(result,p0+5,p1-p0-5))

        wok = Where(metadata.code EQ ucodes[i])
        metadata[wok].nx = nx
        metadata[wok].ny = ny
    
```

```

        metadata[wok].gridtype = gridtype
    ENDIF

ENDFOR

END

FUNCTION get_wgrib_header, inventoryfile, filename

;; Analyse header information extracted from wgrib
OpenR, lun, inventoryfile, /Get_Lun
line = "

count = 0L
WHILE NOT eof(lun) DO BEGIN
    ReadF, lun, line
    record = parse_wgrib_line(line)
    IF count EQ 0 THEN BEGIN
        metadata = Replicate(record, 1000)
    ENDIF ELSE BEGIN
        IF count MOD 1000 EQ 0 THEN BEGIN
            metadata = [ metadata, Replicate(record, 1000) ]
        ENDIF ELSE BEGIN
            metadata[count] = record
        ENDELSE
    ENDELSE
    count = count + 1
ENDWHILE
Free_Lun, lun
metadata = metadata[0:count-1]

Message,'Read header information for '+StrTrim(count,2)+' records.',/Info

;; Add timestep property:
;; Assumption is that each time step is stored with a different
;; date value
dates = metadata.date
updates = dates[Uniq(dates, sort(dates))]

FOR i=0L, N_Elements(updates)-1 DO BEGIN
    w = Where(dates EQ updates[i])
    metadata[w].timestep = i+1
ENDFOR

RETURN, metadata
END

```

```

FUNCTION get_wgrib_info, metadata, codes=codes, dates=dates, $
    timesteps=timesteps, levels=levels

;; Return uniq values of properties. Set keyword to return a
;; selected property.

result = -1L

IF Keyword_Set(codes) THEN BEGIN
    thecodes = metadata.code
    result = thecodes[Uniq(thecodes, sort(thecodes))]
ENDIF

IF Keyword_Set(dates) THEN BEGIN
    thedates = metadata.date
    result = thedates[Uniq(thedates, sort(thedates))]
ENDIF

IF Keyword_Set(timesteps) THEN BEGIN
    thetimesteps = metadata.timestep
    result = thetimesteps[Uniq(thetimesteps, sort(thetimesteps))]
ENDIF

IF Keyword_Set(levels) THEN BEGIN
    thelevels = metadata.level
    result = thelevels[Uniq(thelevels, sort(thelevels))]
ENDIF

RETURN, result

END

```

```

FUNCTION get_wgrib_selection, metadata, code=code, date=date, $
    timestep=timestep, level=level

;; Create default result: use all records
result = Make_Array(N_Elements(metadata),/Long,Value=1L)

;; Extract all codes and find out which ones are to be excluded
IF N_Elements(code) GT 0 THEN BEGIN
    thecodes = metadata.code
    ucodes = thecodes[Uniq(thecodes, sort(thecodes))]
    FOR i=0L, N_Elements(ucodes)-1 DO BEGIN

```

```

    wok = Where(code EQ ucodes[i], cnt)
    IF cnt EQ 0 THEN BEGIN
        wexcl = Where(thecodes EQ ucodes[i], cnt)
        IF cnt GT 0 THEN result[wexcl] = 0
    ENDIF
ENDFOR
ENDIF

```

:: Extract all dates and find out which ones are to be excluded

```

IF N_Elements(date) GT 0 THEN BEGIN
    thedates = metadata.date
    udates = thedates[Uniq(thedates, sort(thedates))]
    FOR i=0L, N_Elements(udates)-1 DO BEGIN
        wok = Where(date EQ udates[i], cnt)
        IF cnt EQ 0 THEN BEGIN
            wexcl = Where(thedates EQ udates[i], cnt)
            IF cnt GT 0 THEN result[wexcl] = 0
        ENDIF
    ENDFOR
ENDIF

```

:: Extract all timesteps and find out which ones are to be excluded

```

IF N_Elements(timestep) GT 0 THEN BEGIN
    thetimesteps = metadata.timestep
    utimesteps = thetimesteps[Uniq(thetimesteps, sort(thetimesteps))]
    FOR i=0L, N_Elements(utimesteps)-1 DO BEGIN
        wok = Where(timestep EQ utimesteps[i], cnt)
        IF cnt EQ 0 THEN BEGIN
            wexcl = Where(thetimesteps EQ utimesteps[i], cnt)
            IF cnt GT 0 THEN result[wexcl] = 0
        ENDIF
    ENDFOR
ENDIF

```

:: Extract all levels and find out which ones are to be excluded

```

IF N_Elements(level) GT 0 THEN BEGIN
    thelevels = metadata.level
    ulevels = thelevels[Uniq(thelevels, sort(thelevels))]
    FOR i=0L, N_Elements(ulevels)-1 DO BEGIN
        wok = Where(level EQ ulevels[i], cnt)
        IF cnt EQ 0 THEN BEGIN
            wexcl = Where(thelevels EQ ulevels[i], cnt)
            IF cnt GT 0 THEN result[wexcl] = 0
        ENDIF
    ENDFOR
ENDIF

```

:: Return everything that's left as an index

```
RETURN, Where(result GT 0)
```

```
END
```

```
FUNCTION get_wgrib_datarecords, metadata, code, filename, datasize
```

```
;; Extract selected data for 1 code as binary data and read it into
```

```
;; memory
```

```
w = Where(metadata.code EQ code, cnt)
```

```
IF cnt EQ 0 THEN Message, ' Nanu???' '
```

```
;; Create inventory file for wgrib
```

```
OpenW, lun, 'tmpinventory~~', /Get_Lun
```

```
FOR i=0L, N_Elements(w)-1 DO BEGIN
```

```
  PrintF, lun, metadata[w[i]].text
```

```
ENDFOR
```

```
Free_Lun, lun
```

```
;; Call wgrib to extract data
```

```
cmd = 'wgrib -i -nh '+filename+' < tmpinventory~~'
```

```
spawn,cmd, result
```

```
spawn,'ls -l dump', result
```

```
cmd = 'rm -f tmpinventory~~'
```

```
spawn, cmd, result
```

```
;; Read binary data
```

```
data = FltArr(datasize)
```

```
OpenR, lun, 'dump', /Get_Lun, /Binary
```

```
ReadU, lun, data
```

```
Free_Lun, lun
```

```
cmd = 'rm -f dump'
```

```
spawn, cmd, result
```

```
RETURN, data
```

```
END
```

```
PRO read_wgrib, data, filename=filename, $
```

```
  code=code, date=date, timestep=timestep, level=level, $
```

```
  metadata=metadata, dims=dims, $
```

```
  header_only=header_only
```

```

;; Default filename
IF N_Elements(filename) EQ 0 THEN filename = '*'

Open_File, filename, lun, filename=truname
IF lun LE 0 THEN RETURN
Free_Lun, lun

;; Get header information
inventoryfile = 'inventory~~'
print,'Analysing file '+truname
cmd = 'rm -f '+inventoryfile
spawn, cmd, result

time0 = Systemtime(1)
cmd = 'wgrib '+truname+ ' > '+inventoryfile
spawn, cmd, result
time1 = Systemtime(1)
print,'Time to scan GRIB header : ',time1-time0,' secs'

;; Analyse header information
metadata = get_wgrib_header(inventoryfile, truname)
time2 = Systemtime(1)
print,'Time to analyse GRIB header : ',time2-time1,' secs'

;; Add extra grid information
get_wgrib_extrainfo, metadata, truname, inventoryfile
time3 = Systemtime(1)
print,'Time to extract extra grid info : ',time3-time2,' secs'
time2 = time3

;; Get record selection
index = get_wgrib_selection(metadata, code=code, date=date, $
                           timestep=timestep, level=level)

time3 = Systemtime(1)
print,'Time to make record selection : ',time3-time2,' secs'

;; Write selected metadata back into inventory file
; IF index[0] GE 0 THEN BEGIN
;   OpenW, lun, inventoryfile, /Get_Lun
;   FOR i=0L, N_Elements(index)-1 DO Printf, lun, metadata[index[i]].text
;   Free_Lun, lun
; ENDIF

IF Keyword_Set(header_only) THEN RETURN

;; Extract selected records as binary files without header
;; Do this code by code and reform result to yield 3D or 4D array

```

```

;; Get unique codes of selection
ucodes = get_wgrib_info(metadata[index], /CODES)
usteps = get_wgrib_info(metadata[index], /TIMESTEPS)

;; Get dimensionality for each code (X, Y, Z, T)
dims = LonArr(4, N_Elements(ucodes))
datasize = LonArr(N_Elements(ucodes))
;; Enter number of selected time steps
dims[3,*] = N_Elements(usteps)
FOR i=0L, N_Elements(ucodes)-1 DO BEGIN
  first = ( Where(metadata.code EQ ucodes[i]) )[0]
  IF metadata[first].nx GT 0 THEN dims[0,i] = metadata[first].nx
  IF metadata[first].ny GT 0 THEN dims[1,i] = metadata[first].ny
  ;; Get number of levels
  w = Where(metadata[index].code EQ ucodes[i] AND $
            metadata[index].timestep EQ usteps[0], cnt)
  dims[2,i] = cnt
  datasize[i] = dims[0,i] * dims[1,i] * dims[2,i] * dims[3,i]
;; print,'Dimensions for code ',ucodes[i],' = ',dims['*',i],' Size = ',datasize[i]
ENDFOR

time4 = Systeime(1)
print,'Time to prepare for reading of data : ',time4-time3,' secs'

;; Create result structure
data = { date:get_wgrib_info(metadata[index], /DATES) }
FOR i=0L, N_Elements(ucodes)-1 DO BEGIN
  IF datasize[i] GT 0 THEN BEGIN
    therecord = get_wgrib_datarecords(metadata[index],ucodes[i],trueName,datasize[i])
    therecord = Reform(Reform(therecord,dims['*',i]))
    data = Create_Struct(data, 'code'+StrTrim(ucodes[i],2), therecord )
    time5 = Systeime(1)
    print,'Time to read records for code ',ucodes[i],' : ',time5-time4,' secs'
    time4 = time5
  ENDIF
ENDFOR

print,'Total time spent in read_wgrib : ',time5-time0,' secs'

END

```
