

---

Subject: Re: IDL and Beowolf ?

Posted by [nobody@nowhere.com](mailto:nobody@nowhere.com) (S on Thu, 02 Aug 2001 16:40:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On 31 Jul 2001 12:53:47 -0700, David Bruhwiler <bruhwile@txcorp.com> wrote:

> dmarshall@ivory.trentu.ca wrote in message news:

>> I just finished reading The Do-It-Yourself Supercomputer by William W.

>> Hargrove, Forrest M. Hoffman and Thomas Sterling in this months Scientific

>> American

>> <http://www.sciam.com/2001/0801issue/0801hargrove.html>

>> And wondered if anyone had any thoughts/experience with running IDL

>> applications on such a cluster.

>>

>> Dave.

>

> Hi Dave,

>

> At Tech-X Corporation, we have prototyped the use of MPI (message

> passing interface) with IDL and have succesfully tested this simple

> prototype on a Beowolf style linux cluster. Tech-X will soon receive

> funding from the US Department of Energy for further proof-of-principle

> development of this idea. This next round of development will occur

> over a six month period, beginning in September.

>

> Tech-X just issued a press release on this subject, and I just posted

> that press release to this news group.

>

> Cheers,

> David

Ugh, I just read your press release, ex-squeeze me for asking to re-post it :^)!

--

Steve S.

[steve@NOSPAMmailaps.org](mailto:steve@NOSPAMmailaps.org)

remove NOSPAM before replying

---