

---

Subject: Re: More Q's on TV and Postscript  
Posted by [steinhh](#) on Wed, 31 Aug 1994 10:56:35 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

In article <340vtmINN5tv@lanews.la.asu.edu>, rouse@sevens.la.asu.edu (Roger Rouse) writes:

|> Now that I can actually see the postscript output I've three more questions.

|>

|> 1. How do I get the picture to be black on white? If I try this trick

|>

|> a(where(a eq 0B)) = 225B

|>

|> then any plots that are with the picture disappear since plots are  
|> done in black. This also makes the picture look very different! I've  
|> also tried reloading the color arrays after set\_plot,'ps' with and  
|> without giving /COLOR in the call to DEVICE. What's the catch?

It's usually best done by redefining color 0 to be white, and color 255 to be black, use "TVLCT" (I think), first to get the color table, modify it, and then put it back. I.e.:

```
tvlct,r,g,b,/get_.... ; (NOT sure about the actual wording here, butt..)
r(0)=255 & g(0)=255 & b(255)=255 ; Color 0 has full intensity -- white
r(255)=0 & g(255)=..... ; Color 255 has no intensity -- black
tvlct,r,g,b ; Put color table back
```

You might not have 255 colors available, so ther might be some few changes..

|>

|> 2. I would also like to use PLOTS to draw circles and things on the picture.  
|> How can I position them correctly given that the position and size of the  
|> picture is specified in centimeters (or inches) not NORMAL, DATA, or even  
|> DEVICE coordinates?

Use:

```
DEV_COORD = convert_coord([x,y],/data,/to_device) ; Put something at [x,y]
plots,x,y,/device
```

You could, of course, also use /to\_normal and /normal..

|>

|> 3. Wouldn't it be nice if TV understood all of the !p variable especially  
|> !p.multi. Has anyone developed or know of a procedure, say PTV, that works  
|> like PLOT (or PLOTS) but draws an image instead of a graph? If you've only  
|> one picture then things go smoothly, but if you what a graph with a picture  
|> next to it or some other combination things get complicated.

I'll leave this to Bill :- ) (Thompson)

|>  
|> I think that I can do what I want in the window, but the conversion to  
|> postscript does not reproduce what's in the window. I've tried using  
|> TVRD but then you have the black-on-white problem again.

|>  
Generally, this is not a good idea. Make your plots/tv statements as device independent as possible, and use them (possibly slightly rewritten) separately for PS devices. A piece of paper has a lot more pixels than a computer screen!

Stein Vidar

---