
Subject: Re: Array resizing

Posted by [Logan Lindquist](#) on Wed, 14 Nov 2001 23:48:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD>
<META http-equiv=Content-Type content="text/html; charset=iso-8859-1">
<META content="MSHTML 6.00.2600.0" name=GENERATOR>
<STYLE></STYLE>
</HEAD>
<BODY bgColor=#ffffff>
<DIV><FONT face=Arial size=2>Thanks Liam and David !</FONT></DIV>
<BLOCKQUOTE dir=ltr
style="PADDING-RIGHT: 0px; PADDING-LEFT: 5px; MARGIN-LEFT: 5px; BORDER-LEFT:
#000000 2px solid; MARGIN-RIGHT: 0px">
  <DIV>"Logan Lindquist" &lt;<A
href="mailto:llindqsit@mrdoc.cc">llindqsit@mrdoc.cc</A>&gt; wrote in message
<A
```

```
href="news:9suqq0$14k$1@sulawesi-fi.lerc.nasa.gov">news:9suqq0$14k$1@sulawesi-fi.lerc.nas
a.gov</A>...</DIV>
```

```
<DIV><FONT face=Arial size=2>What's the best way to take a byte array that is
(1,256,256) and make it a byte array that is just (256, 256)? Looping would
seem to take a while. I can't figure out at this moment of a way to store the
x and y into temp variables and then recopy them into another byte array.
Maybe there is something that will just get rid of the damn 1, without doing
either. </FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV><FONT face=Arial size=2>gracias, grazie, danke, merci,
agradeça-o</FONT></DIV>
<DIV><FONT face=Arial size=2></FONT>&nbsp;</DIV>
<DIV><FONT face=Arial size=2>Logan</DIV>
<DIV><BR></DIV></BLOCKQUOTE></FONT></BODY></HTML>
```
