

---

Subject: Re: FindFile for more than one filetype  
Posted by [James Kuyper Jr.](#) on Fri, 21 Dec 2001 17:41:17 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Sue wrote:

```
> "Richard Tyc" <richt@sbrcc.umanitoba.ca> wrote in message  
news:<9vtjoa$mmt$1@canopus.cc.umanitoba.ca>...  
>  
>>> for yr = 1981, 2000 do begin  
>>>  
>>  
>> How about something real simple like this to replace AND:  
>>  
  
>> filelist = FINDFILE(outpath + string(yr, FORMAT = '(I4.4)')  
>>   + '*' + '_average.int', COUNT=filecount)  
>> if filecnt NE 1 then break;
```

Change to:

```
if filecount NE 1 then break;  
totalcnt = filecount  
  
>>  
>> filelist = [ filelist, FINDFILE(outpath + string(yr+1, FORMAT = '(I4.4)')  
>>   + '*' + '_average.int', COUNT=filecount) ]  
>> if filecnt NE 1 then break;
```

Change to:

```
if filecount NE 1 then break;  
totalcnt = totalcnt + filecount;  
  
>>  
>>  
>>> endfor  
>>  
>> Rich  
>  
> -----  
> I tried this and for some reason the filecount still equals 1, instead  
> of 2. Interestingly enough, when I print filelist...I do get two  
> files. Any ideas?  
> --Sue
```

With the given changes, filecount will still be 1, but totalcnt will now have the value of 2, as you expected.

---