

---

Subject: Re: All I get is gray scale (and IDL 5.5)  
Posted by [David Fanning](#) on Fri, 01 Feb 2002 14:27:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Ruediger Kupper (Ruediger.Kupper@Physik.Uni-Marburg.De) writes:

- > now, perhaps there is a possibility for me to understand
- > this issue, since I tried several times and never managed.

I seriously doubt whether it is *\*possible\** to understand this issue. But I'll give you a couple of heuristics I use to get by.

- > Then, upgrading to IDL5.5, all my colors were scrambled
- > again. After a series of tests, I discovered that now I need
- > an additional DEVICE, BYPASS\_TRANSLATION=3D0 call to turn on
- > IDL's internal color translation table, AFTER the first
- > window has been opened.

I haven't encountered the need for this yet, but it doesn't surprise me any. The way colors are handled in IDL has changed with every single point release since at least IDL 5.0. My impression is that the good folks at RSI are as confused about the situation as we are.

What I do know is that colors are handled differently on different platforms. This makes it *\*extremely\** hard to write portable code, which is the primary reason I wrote all the color tools you find on my web page. AFAIK, those tools produce the correct color pretty much everywhere, and in every version of IDL, regardless of how you have your damn computer configured. :-)

- > First question: If I "don't want a Direct-Color visual", why
- > does IDL want it? As this is the order in which IDL tries to
- > allocate: Direct-Color first.

It would be easier to answer "Why does the sun come up in the East?". Next question?

- > Second question: I did not find any way how to use the
- > Direct-Color visual at all, but perhaps I still don't
- > understand it right - What exact difference is there between
- > Direct-Color and True-Color, and how would IDL access the
- > two different modes? Reading the IDL documentation I get the
- > impression that everything should work fine - why doesn't it?

Here is my take on this question. It's probably not

right, but I haven't really run into anyone who knows the answer, so who is going to call me a liar?

True-Color visuals are meant to be "static" color tables. In other words, you can't load other values in the color table. Why would you want to? You have all 16.7 million possible colors available to you. If you want some particular color, just specify it's color triple and be done with it.

Unfortunately, this doesn't square with how we want to use IDL. As scientists, we like color tables. We have used color tables for three centuries, and we want to continue to use color tables. So, we want to load the damn things. That's a problem. IDL solves it by providing "virtual" color tables, or software color tables, as an intermediary between you and the static color table provided by the True-Color visual.

Most of the oddness in IDL's color handling comes in as we go back and forth through this intermediary. I suspect some of the problems are caused by different implementations on the hardware end of what constitutes a "true-color" visual. I can't imagine Microsoft, for example, isn't going to try to "solve" this problem themselves in their usual brain damaged way that confuses everything else you are trying to do.

Anyway (I've lost my train here), Direct Color visuals were designed to give you a 24-bit dynamic (as opposed to static) color table. That is, they were 24-bit, but you can change the numbers loaded in them. The best of all worlds.

I've actually seen Direct Color visuals work---once. On one incredibly lucky computer. But no one, and I mean no one, agrees on what a Direct Color visual is suppose to do. (PCs pretend they have never heard of it.) I suppose IDL searches for it first, because it would be wonderful if it were found, and if it worked, which it won't. But, there you go.

> Third question (related to this): How and when is IDL's  
> internal translation table used on a 24-bit display?

I don't have the foggiest idea. But I'd bet good money it is used differently in every version of IDL. Presumably the translation tables are used when color decomposition is turned off. But that kind of behavior is just plain

dumb when you are trying to display a 24-bit image,  
and causes all kinds of havoc on PCs.

- > Fourth question: Even if we don't understand why it does,
- > what it does - is there any way to determine a configuration
- > that works, without having to try them all out?

I think so. If you have a 24-bit display, make sure  
you have a TRUE\_COLOR=24 visual class, then use my  
color tools to get colors. If you have an 8-bit display,  
make sure you have a PSEUDO\_COLOR=8 visual class, then  
use my color tools to get colors. :-)

- > Fifth question: Does RSI give any statement on this (sorry to
- > say so) absolutely weird color management on X systems?

No, I have a secret agreement with RSI that doesn't expire  
until 2015 that I will be the sole expert on IDL color  
management. It was the only way I could further my career,  
since my programming skills were so abysmal when I began.

- > Please excuse me sounding a bit frustrated (or "stupid", as
- > Gary put it), but I actually feel like it :-).

Frustrated? About colors!? Nonsense!

Cheers,

David

--

David W. Fanning, Ph.D.

Fanning Software Consulting

Phone: 970-221-0438, E-mail: [david@dfanning.com](mailto:david@dfanning.com)

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155

---