
Subject: Re: Problems with CONVOL and 3D data
Posted by [Jaco van Gorkom](#) on Fri, 08 Feb 2002 13:34:07 GMT
[View Forum Message](#) <> [Reply to Message](#)

"Alberto Martinez" <juan_eof@hotmail.com> wrote in message
news:3c63c8de@news.upm.es...

```
...
> kernel_1 = REFORM(kernel_1,3,1,1) ; An array in X direction , 3D
> kernel_2 = REFORM(kernel_1,1,3,1) ; The same in Y
> kernel_3 = REFORM(kernel_1,1,1,3) ; In Z direction
...
> result = CONVOL(FLOAT(data), FLOAT(kernel_2)) ;
>> %CONVOL: Kernel's dimensions are incompatible with operand's
>
> It seems that the filtering with "kernel_2" only works with data and
kernel
> in integers!
```

the
> Y direction !
> The others kernels works perfectly.

IDL has the habit of dropping leading dimensions of one, and this happens to
the FLOAT() result:

```
IDL> help, kernel_1, float(kernel_1), kernel_2, float(kernel_2), kernel_3,
float(kernel_3)
```

```
KERNEL_1 INT = Array[3, 1, 1]
```

```
<Expression> FLOAT = Array[3]
```

```
KERNEL_2 INT = Array[1, 3, 1]
```

```
<Expression> FLOAT = Array[1, 3]
```

```
KERNEL_3 INT = Array[1, 1, 3]
```

```
<Expression> FLOAT = Array[1, 1, 3]
```

so FLOAT(kernel_2) has two dimensions, whereas FLOAT(data) has three.

Another REFORM is needed:

```
result = CONVOL(FLOAT(data), REFORM(FLOAT(kernel_2), 1, 3, 1) )
```

Cheers,

Jaco
