
Subject: Re: Emacs-19 mode for IDL
Posted by [xmosa](#) on Wed, 26 Oct 1994 08:04:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

In article <adorf-2410941457160001@st53.hq.eso.org>, adorf@eso.org (Hans-Martin Adorf) writes:

|>Newsgroups: comp.lang.idl-pvwave
|>Path: maya.dei.unipd.it!ghost.dsi.unimi.it!univ-lyon1.fr!jussieu.f
|>r!math.ohio-state.edu!howland.reston.ans.net!EU.net!Germany. EU.net!eso!st53.hq.eso.org!user
|>From: adorf@eso.org (Hans-Martin Adorf)
|>Subject: Re: Emacs-19 mode for IDL
|>
|>In article <OB10001.94Oct22122836@atm.amp.cam.ac.uk>,
|>ob10001@atm.amp.cam.ac.uk (Oliver B\"uhler) wrote:
|>
|>> I am looking for an Emacs-19 mode for IDL, mainly to facilitate
|>> indentation etc. I am using Emacs version 19.26.1.
|>
|>
|>If you locate the source, please post the URL here, so that we all can
|>share the knowledge.
|>
|>Regards
|>Hans-Martin Adorf

From the IDL FAQ:

T08. Is there a major mode for editing IDL code in Emacs?

Yes.

Chris Chase (chase@jackson.jhuapl.edu) has written idl.el for editing IDL code. He has also written idl-shell.el for running IDL as an inferior process under emacs. These can be found at:

eos.crseo.ucsb.edu:pub/idl/idl.el
eos.crseo.ucsb.edu:pub/idl/idl-shell.el

Note that a major mode exists also for PV~WAVE, see the IDL FAQ.
Hope this helps

Andrea Baruffolo
Astronomical Observatory
Padova, Italy
baruffolo@astrpd.pd.astro.it
