Subject: Re: default window size Posted by Rick Towler on Wed, 08 May 2002 04:34:08 GMT View Forum Message <> Reply to Message

On Win32, it is set in the registry keys:

HKEY\_LOCAL\_MACHINE/SOFTWARE/Research Systems, Inc./IDL/0/IDL DLL/HGraphicWind HKEY\_LOCAL\_MACHINE/SOFTWARE/Research Systems, Inc./IDL/0/IDL DLL/WGraphicWind

Note that the "0" refers to the IDL installation and may differ on your machine.

For Unix, I would assume there is a text config file somewhere. I would guess there would be something similar on Mac.

You could change them all programmatically (if that is what you want to do). The config files could be read and rewritten (depending on permissions), and on windows you could craft a .reg file and then execute regedit to modify the key. You could also write a simple .dlm for windows to add/edit req keys.

-Rick

```
"Reimar Bauer" <r.bauer@fz-juelich.de> wrote in message
news:3CD782C0.E3842473@fz-juelich.de...
> Hi,
>
 By idlde preferences it is possible to set a default window size
> e.g. XSIZE=200, YSIZE=200.
  !D.WINDOW.XSIZE and !D.WINDOW.YSIZE is readonly.
>
  Where did idlde set these sizes?
> regards
> Reimar
 Reimar Bauer
> Institut fuer Stratosphaerische Chemie (ICG-I)
> Forschungszentrum Juelich
> email: R.Bauer@fz-juelich.de
       a IDL library at ForschungsZentrum Juelich
```

>	http://www.	fz-iueli	ch de/ica	n/ica1/idl	icalib/idl	lih	intro h tml
_	11(LD.// VV VV VV.	.iz-jucii	on.ue/ict	<i>a/1</i> 00 1/101	icqiib/iui	III	111110.11 11111

Page 2 of 2 ---- Generated from comp.lang.idl-pvwave archive