

---

Subject: Re: Validate widget id  
Posted by [R.Bauer](#) on Mon, 06 May 2002 13:44:13 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Guido Vent wrote:

>  
> Hello,  
>  
> I want to check, if a certain widget is destroyed. But if I use  
> wtget(...,/destroyed) an error is raised when the widget is already  
> destroyed.  
> I use PV-Wave 7.5 on Windows NT.  
>  
> Any suggestion?  
>  
> Regards,  
>  
> Guido

Hi Guido,

you can use a keyword for widget\_info:

VALID\_ID

This keyword applies to all widgets.

Set this keyword to return 1 if Widget\_ID represents a currently-valid widget. Otherwise, 0 is returned.

Reimar

--

Reimar Bauer

Institut fuer Stratosphaerische Chemie (ICG-I)  
Forschungszentrum Juelich  
email: [R.Bauer@fz-juelich.de](mailto:R.Bauer@fz-juelich.de)

-----  
a IDL library at ForschungsZentrum Juelich  
[http://www.fz-juelich.de/icg/icg1/idl\\_icglib/idl\\_lib\\_intro.h tml](http://www.fz-juelich.de/icg/icg1/idl_icglib/idl_lib_intro.h tml)  
=====

---