
Subject: Re: can I set INTERLEAVE type in DIALOG_WRITE_IMAGE

Posted by [Xiaoying Jin](#) on Mon, 13 May 2002 16:56:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks.

I think the INTERLEAVE used by DIALOG_WRITE_IMAGE is 0 (Pixel interleaved)
With WRITE_TIFF, how can I easily make a dialog to choose the directory and
filename?

Regards,

Xiaoying Jin

"David Fanning" <david@dfanning.com> wrote in message
news:MPG.174998bfeef593a39898cb@news.frii.com...

> Xiaoying Jin (xje4e@mizzou.edu) writes:

>

>> I use read_tiff to read an image file in, the INTERLEAVE of the file is
2

>> (Planar interleaved [Columns, Rows, Channels]). But when I want to
write

>> the image using DIALOG_WRITE_IMAGE, the result is totally wrong. The

>> INTERLEAVE of the file saved is [Rows, Channels, Columns]. How can I
set

>> INTERLEAVE type in DIALOG_WRITE_IMAGE?

>

> I don't believe you can. I think you are going to have

> to use WRITE_TIFF directly.

>

> Cheers,

>

> David

>

> --

> David W. Fanning, Ph.D.

> Fanning Software Consulting

> Phone: 970-221-0438, E-mail: david@dfanning.com

> Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

> Toll-Free IDL Book Orders: 1-888-461-0155
