
Subject: bwfill in IDL?

Posted by [Gert Van de Wouwer](#) on Mon, 03 Jun 2002 15:27:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi

Is there an analog of Matlab's bwfill method in IDL?

i.e. something like

[y, indx] = bwfill(x,startR, startC);

where x is a binary image, startR and StartC begincoordinates to begin flooding the image (e.,g. all black pixels) and return the result in image y and coordinates of filled positions in indx?

Example taken from Matlab documentation:

```
BW1 = [1 0 0 0 0 0 0 0  
       1 1 1 1 1 0 0 0  
       1 0 0 0 1 0 1 0  
       1 0 0 0 1 1 1 0  
       1 1 1 1 0 1 1 1  
       1 0 0 1 1 0 1 0  
       1 0 0 0 1 0 1 0  
       1 0 0 0 1 1 1 0]
```

```
BW2 = bwfill(BW1,3,3,8)
```

```
BW2 =
```

```
1 0 0 0 0 0 0 0 0  
1 1 1 1 1 0 0 0 0  
1 1 1 1 1 0 1 0 0  
1 1 1 1 1 1 1 1 0  
1 1 1 1 0 1 1 1 1  
1 0 0 1 1 0 1 0 0  
1 0 0 0 1 0 1 0 0  
1 0 0 0 1 1 1 0 0
```

thanks,

Gert
