
Subject: Re: Attempt to subscript FILNAM with I is out of range....
Posted by [David Fanning](#) on Thu, 15 Aug 2002 20:06:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

Kolbjorn Bekkelund (kobe@rocketrange.no) writes:

- > I'm not a scientist, nor an IDL purist :-(
- > I'm only a systems engineer at an observatory, trying my best to make our
- > daily work a bit more flexible. I've got a feeling that my solution to
- > the problem offended your professional IDL skills ?

No, no. Not at all. I've always been firmly
in the "whatever works" camp. :-)

- > I'm pretty new to IDL, that's for sure, but I'll try to improve and learn
- > as I walk withn the help of good guys like you :-)

I'm pretty sure that as long as you keep a sense
of humor about things, you will learn quickly.
Anyway, we need more arctic guys. And I expect
typing all those damn "& \$" characters will warm
your hands up during those long, cold winters. :-)

Cheers,

David

--

David W. Fanning, Ph.D.
Fanning Software Consulting, Inc.
Phone: 970-221-0438, E-mail: david@dfanning.com
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
Toll-Free IDL Book Orders: 1-888-461-0155
