

---

Subject: Re: How to use max() to plot where in the plot max is located ?

Posted by [David Fanning](#) on Thu, 22 Aug 2002 20:57:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Paul van Delst (paul.vandelst@noaa.gov) writes:

> From your previous code, I assume you meant:  
>  
> max308=max(data(3,\*), maxindex)  
> max353=max(data(5,\*), maxindex)  
>  
> but what if the maximum value for the different columns of data occurs at a different  
> index? Shouldn't you do something like,  
>  
> max308=max(data(3,\*), max308index)  
> max353=max(data(5,\*), max353index)  
>  
> ??  
>  
> If not, why bother with returning maxindex for data(3,\*)?  
>  
> me confuzzed.

I was using \*pseudo\* code. That is meant to be confusing.  
But I find it cuts the future questions way down, so I  
can't afford to give it up. :-)

Cheers,

David

--

David W. Fanning, Ph.D.

Fanning Software Consulting, Inc.

Phone: 970-221-0438, E-mail: [david@dfanning.com](mailto:david@dfanning.com)

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155

---