
Subject: Re: readcol procedure

Posted by [David Fanning](#) on Fri, 13 Sep 2002 15:50:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

Pavel A. Romashkin (pavel_romashkin@hotmail.com) writes:

- > I am sorry to disagree.
- > I routinely read large (60k-200k rows) ASCII files with unknown number
- > of lines. I always use large arrays to read into and never ever use EOF
- > with line by line reading.
- > All I have to do is to catch I/O error in case my buffer array is too
- > big as my reading approaches the end of file, then look up what size it
- > should have actually been, resize the buffer, then read the last portion
- > of file only. Reading a file with 80k lines using this method takes
- > about 0.1 s.
- > Take a look:
- > http://www.ainaco.com/idl/idl_library/read_ascii_columns.pro

Wow. You wrote this, Pavell? :-)

Cheers,

David

P.S. Let's just say part of being an expert is knowing
who to steal code from. I'll be stealing some of this! :-)

--

David W. Fanning, Ph.D.

Fanning Software Consulting, Inc.

Phone: 970-221-0438, E-mail: david@dfanning.com

Coyote's Guide to IDL Programming: <http://www.dfanning.com/>

Toll-Free IDL Book Orders: 1-888-461-0155
