
Subject: Re: Where vs Histogram vs ??

Posted by [Andrew Cool](#) on Fri, 18 Oct 2002 01:13:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

"Pavel A. Romashkin" wrote:

>
> I can definitely echo Bob's suggestion to use index for searching. Don't
> use structure fields. Using a database would like ly be better yet; I
> think MS Access Jet should be reasonably fast with 15 mln records.
> Good luck,
> Pavel

Hi Pavel,

I'm confined to running this under OpenVMS, so MS Access probably
ain't the cure here. ;-)

Andrew

>
> Andrew Cool wrote:
>>
>> Hello All,
>>
>> I have a structure defined as :-
>>
>> data_st = {YEAR : 0 , \$
>> DAY : 0 , \$; 136 days over 12 years
>> HALF_HR : 0 , \$; 0..47
>> RANGE_IDX : 0 , \$; 0..267
>> WRF : 0B , \$; 3 possible values
>> FREQ : 0B , \$; 4 possible values
>> BEAM : 0B , \$; 4 possible values
>> PAD : 0B , \$; Padding to align byte
>> boundaries
>> Parameter : FLTARR(5)}
>>
>>
>> Replicate that a few times :-
>>
>> database = Replicate(data_st,15425228)

--

Andrew D. Cool .->-.
Electromagnetics & Propagation Group '-<-'
Intelligence, Surveillance & Reconnaissance Division Transmitted on
Defence Science & Technology Organisation 100% recycled
PO Box 1500, Edinburgh electrons
South Australia 5111

Phone : 061 8 8259 5740 Fax : 061 8 8259 6673
Email : andrew.cool@no-spam.dsto.defence.gov.au
Please remove the no-spam from my email address to reply ;-)
