Subject: How do I get the path for a UNIT of a file? Posted by Jonathan Greenberg on Fri, 20 Dec 2002 19:17:56 GMT View Forum Message <> Reply to Message

Andrew:

Once again, thou art a genius, the ASSOC was exactly what I needed -the last question I have is, when I do an "openu, unit, filename, /GET_LUN", is there any way to extract just the directory path for that particular file?

--j

On 12/19/02 6:10 PM, in article 3E027C04.FBC18808@dsto.defence.gov.au,

```
"Andrew Cool" <andrew.cool@dsto.defence.gov.au> wrote:
> Jonathan Greenberg wrote:
>>
>> (thanks Andrew for your answer to my ASCII file question)
>>
>> I now want to know, using IDL and/or ENVI function, how do I write data to a
>> specific LINE of a BIP or BIL file? Its easy to read it (envi_get_slice),
>> but not easy to write that slice. The brute force is to load the entire
>> image into memory, assign that specific line the new values, and then
>> rewrite the entire image back to disk. This is EXTREMELY slow. Even using
>> ENVI's spectral tiling routines (which at least minimize the memory used,
>> and allow me to know what line I'm on), I still have to parse an entire BIP
>> or BIL file and rewrite it, when all I want to do is write to a specific
>> line and leave the rest of them as is. Anyone have any suggestions for how
>> to do this?
>>
>> --j
>
> Hi Jonathon,
Looks like the rest of the World's gone to sleep, so I'll hazard a
  guess.
>
>
  Firstly though, I don't use ENVI, and hadn't even heard of BIP/BIL
> files
 until now...;-)
>
>
  But I gather that they're bitmap image files from ArcView.
> What using ASSOC? ASSOC reads records as defined by you directly from
  the file. In the code below, c:\image.dat was crated with :-
>
>
> loadct.5
> image = dist(400,400)
```

```
> openw,lun,'c:\image.dat',/get
> writeu,lun,image
     free_lun,lun
>
> Now you can read back in any line or block of lines using ASSOC, and
> change
> it too! The ASSOC variable is *not* held in memory, but read from the
> disk
> every time it is referenced.
>
> PRO assoc_test
> loadct,5
> OpenU,lun,'c:\image.dat',/get
> line = ASSOC(lun,bytarr(400))
> print,line(199)
> line(199) = BYTARR(400)
> print,line(199)
> Free_lun,lun
> END
>
>
 And now you can independently read in image.dat and confirm the change.
  Hardest part is defining the structure and any offset peculiar to your
>
 file.
>
 I hope I'm not woofing at the wrong piece of bark here...
  Merry Xmas,
> Andrew
```