

---

Subject: Re: IDLgrWindow, IDLgrVolume and alpha channel (more details)

Posted by [s\[1\]](#) on Mon, 27 Jan 2003 09:14:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi all,

first of all, thanks for all infos.

Here come some more details:

I am rendering two volumes, similar to the MRI + PET demo, but its two volumes (and not two data sets in one volume) and the zbuffer of the first is intersected with the second one.

I am rendering the two volumes to two different IDLgrBuffers.

The resulting images are then blended.

I need the alpha for two reasons:

- a) To determine the contribution of each image.
- b) To find the image background (o.k., that I can also do with the zbuffer).

Another, not so important reason is that I am thinking about using the alpha values from the image to adapt the transfer function.

I was already thinking about the "linear ramp and greyscale" solution, but for some volumes I have to use a non-linear opacity function, so that doesn't work.

For me, getting the 4-channel IDLgrImage Karl was talking about would be the perfect solution.

Do I understand you correctly that there is no chance to get the alpha?

Is there a difference between using a IDLgrBuffer and IDLgrWindow for this problem?

I think having the alpha channel during rendering and just throwing it away without having the least chance to get it is just stupid - there will always be someone who might make use of it...

Best regards & thanks for all help,

Sebastian

---