Subject: Re: emacs and IDL (typos in URLs) Posted by chase on Thu, 26 Jan 1995 00:46:20 GMT

View Forum Message <> Reply to Message

I left out ":" in the URLs I posted in my previous message.

Here are the locations where idl.el and idl-shell.el can be retrieved:

ftp://fermi.jhuapl.edu/pub/idl\_emacs/idl.el ftp://fermi.jhuapl.edu/pub/idl\_emacs/idl-shell.el ftp://eos.crseo.ucsb.edu/pub/idl/idl.el ftp://eos.crseo.ucsb.edu/pub/idl/idl-shell.el

Try fermi.

idl.el is an Gnu Emacs mode editing IDL or PVWAVE/CL .pro files. It does automatic indentation, template insertion, abbrev expansion, movement and marking commands, comment formating, highliting, and has menus.

idl-shell.el allows IDL to be run as a subprocess of Gnu Emacs in a buffer. It has abilities for interactively setting breakpoints, ".run"ing regions, automatic scrolling to errors, menus, etc. It needs a lot of work, but it is very usable particularly for iterative code development. It works well enough for me.

If you have comments/suggestions/bug reports about these programs let me know.

Cheers, Chris

--

\_\_\_\_\_

Bldg 24-E188
The Applied Physics Laboratory
The Johns Hopkins University
Laurel, MD 20723-6099
(301)953-6000 x8529
chris.chase@jhuapl.edu

--

\_\_\_\_\_

Bldg 24-E188
The Applied Physics Laboratory
The Johns Hopkins University
Laurel, MD 20723-6099
(301)953-6000 x8529
chris.chase@jhuapl.edu