

---

Subject: Re: How to Acces heap object.  
Posted by [user](#) on Tue, 27 May 2003 06:11:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Ok, my procedure is only an example, I know I can return the value with a function. But I want to acces to the variable oMsgCat object as a global variable.

Any Ideas?

--  
Miguel Angel Cordoba

Craig Markwardt wrote:

```
> user@domain.invalid writes:
>
>
>> I create this procedure
>>
>> PRO open_lang,path,fitxer_catalog
>>   oMsgCat=MSG_CAT_OPEN(",FILENAME=path+fitxer_catalog)
>> END
>>
>> and I call with the next command
>>
>>
>>
> ... snip ...
>
>
>> <ObjHeapVar19> STRUCT   = -> IDLFFLANGUAGECAT Array[1]
>>
>> How can I acces to this object heap variable?.
>>
>>
>
> Your problem is not to access a heap variable, but rather to return
> the value from OPEN_LANG. You can do that by turning it into a
> function:
>
> FUNCTION open_lang,path,fitxer_catalog
>   oMsgCat=MSG_CAT_OPEN(",FILENAME=path+fitxer_catalog)
>   return, oMsgCat
> END
>
> And then calling it:
> mycat = open_lang('/lang/', 'msg.cat')
```

>  
>  
> Good luck,  
> Craig  
>  
>  
>  
>

--

-----  
Miguel Angel Cordoba      <mailto:cordoba@grahi.upc.es>  
                            TEL. 93 4017371  
                            <http://campus.uab.es/~2034008>

Grup de Recerca Aplicada en Hidrometeorologia (GRAHi-UPC)  
<http://www.grahi.upc.es>  
-----