
Subject: Re: Solving elliptic equation in IDL
Posted by [Haje Korth](#) on Mon, 18 Aug 2003 11:51:22 GMT
[View Forum Message](#) <> [Reply to Message](#)

Mark,
as far as I understand, you always need the C glue-code when working with FORTRAN in a DLM. This is the reason why I often still use the old-fashioned call_external. Here the wrapper is minimal and can be written in FORTRAN. I think there is an example in the external directory of the IDL installation.

Cheers,
Haje

--

"Mark Hadfield" <m.hadfield@niwa.co.nz> wrote in message
news:bhp3fk\$kah\$1@newsreader.mailgate.org...

> Hi guys
>
> I want to solve an elliptic equation on a rectangular portion of the
> (x,y) plane, specifically
>
> $L(A) = f(x,y)$
>
> where A is an unknown, scalar-valued 2D array, L is the Laplacian
> operator ($d^2/dx^2 + d^2/dy^2$) and the RHS (forcing) term is a function of
> space only. A is specified at the boundary.
>
> This can be done with an elliptic equation solver, of the type that
> can be found in many general-purpose mathematical libraries. However a
> Google search has not uncovered any IDL code to do this. So I have two
> questions:
>
> - Does anyone have or know of an IDL elliptic equation solver?
>
> - If I choose to solve the equation in Fortran (Compaq Visual
> Fortran 6.6B, IMSL Fortran Library, IDL 6.0, Windows 2000), what is the
> path of least resistance for passing data between Fortran and IDL? A
> DLM? Can I call a Fortran subroutine directly from IDL or will I
> need to write glue code in C?
>
> --
> Mark Hadfield "Ka puwaha te tai nei, Hoesa tatou"
> m.hadfield@niwa.co.nz
> National Institute for Water and Atmospheric Research (NIWA)
>
>
