
Subject: Resolve_all: bogus unresolved references
Posted by [William Gallery](#) on Tue, 23 Sep 2003 14:40:43 GMT
[View Forum Message](#) <> [Reply to Message](#)

I have an idl program I wish to distribute as an idl save set. When I run "resolve_all,/cont" on it, It lists three unresoved routines:

```
....  
% Compiled module: POLY_FIT.  
% Attempt to call undefined procedure/function: 'TRNLOG'.  
% Execution halted at: RESOLVE_ALL_BODY 117  
C:\RS\IDL56\lib\resolve_all.pro  
% RESOLVE_ALL 162  
C:\RS\IDL56\lib\resolve_all.pro  
% $MAIN$  
% Compiled module: COMBINE_SIGNALS.  
% Attempt to call undefined procedure/function: 'DELLOG'.  
% Execution halted at: RESOLVE_ALL_BODY 117  
C:\RS\IDL56\lib\resolve_all.pro  
% RESOLVE_ALL 161  
C:\RS\IDL56\lib\resolve_all.pro  
% $MAIN$  
% Attempt to call undefined procedure/function: 'SETLOG'.  
% Execution halted at: RESOLVE_ALL_BODY 117  
C:\RS\IDL56\lib\resolve_all.pro  
% RESOLVE_ALL 161  
C:\RS\IDL56\lib\resolve_all.pro  
% $MAIN$  
% Compiled module: RESISTANT_MEAN.  
...
```

However, I have searched everywhere for anything named trnlog, dellog or setlog using:

```
grep -iR trnlog ./
```

I looked in the current directory and below, the main idl directory and below, and all directories included in !Path and below and found nothing. The program runs fine as is. I believe these messages are benign but I would like to find their cause.

Is there a way to determine where trnlog is called from? Has anyone seen similar messages?

IDL 5.6
Windows NT

Cheers

