
Subject: Re: Controlling sensitivity on widget_button
Posted by [David Fanning](#) on Fri, 10 Oct 2003 13:53:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

Nuno Oliveira writes:

> Greetings. I would like to make you a question that I presume to be very
> simple and easy to you to answer.
>
> In tutorials, about keyword SENSITIVE, I see that "if SENSITIVE is zero, the
> widget becomes insensitive. If nonzero, it becomes sensitive" But doesn't
> tell how can I control the value, how can I give it the value zero. I tried
> to do that with WIDGET_CONTROL, button, /SENSITIVE thinking that its value
> would change to the opposite (like if /SENSITIVE could only have the values
> zero and one, insensitive and sensitive) but that didn't work. How you
> manipulate sensitivity of buttons?

Widget_Control, button, Sensitive=0
Widget_Control, button, Sensitive=1 (or, same thing) \$
Widget_Control, button, /Sensitive

Cheers,

David

--

David W. Fanning, Ph.D.
Fanning Software Consulting, Inc.
Phone: 970-221-0438, E-mail: david@dfanning.com
Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
Toll-Free IDL Book Orders: 1-888-461-0155
