## Subject: Re: Differences between IDL's floats and Java's floats - a problem Posted by David Fanning on Thu, 13 Nov 2003 13:05:14 GMT

View Forum Message <> Reply to Message

necr@pml.ac.uk writes:

```
> I am currently porting some IDL code across to java, and I've run into
> a couple of snags with the different ways IDL and Java deal with
> numbers. Most of these I have sorted, with trips to the APIs and a
> fair bit of googling. However, there is one I haven't managed to sort
> out vet.
>
> IDL and Java appear to load floating point numbers from a file in very
  different ways.
>
  In IDL, I can read seperate bytes into memory like so:
>
    myvar=0b & readu, 10, myvar
>
>
  (where 10 is the filehandle of the open file which is being read).
  This will result in an unsigned byte being retrieved.
  I could read the byte in with java using a DataInputStream like so:
>
>
    byte a = input.readUnsignedByte();
>
>
>
  (where input is my open DataInputStream).
>
>
  Both these pieces of code would give the same result if run on the
  same byte in a file
>
  To read in a float in idl, I would use:
>
>
    readu, 10, floatvar
>
>
>
  (the floatvar would not previously have been set to anything).
>
  And in java:
>
>
    float f = input.readFloat();
>
> However, running these two pieces of code will not result in the same
 float being given out.
  My Example
```

>

- > I read in four bytes from a file, both in IDL and Java. Both systems
- > give me the results 0, 64, 206, 67.

>

- > If I run the float code on these same four bytes though, IDL will give
- > me 412.50 (the value I want), while Java will give 5.951465E-39 -
- > clearly not the number I'm looking for!

>

- > I have tested this on both a Sun and a Windows machine, and have
- > received the same results.

>

- > So, has anyone got any ideas as to why this is happening? And more
- > importantly, does anyone know what I can do to get the same float
- > value being loaded in Java?

> Thankyou in advance for any help you can give me.

This is a byte order problem. I don't know Java, but consider this IDL experiment:

IDL> a=[0b, 64b, 206b, 67b]IDL> print, float(a,0) 412.500 IDL > b = [67b, 206b, 64b, 0b]IDL> print, float(b,0) 5.95146e-039

Java is apparently opposite-ended from whatever it is you are running on. :-)

Cheers,

David

David W. Fanning, Ph.D. Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Phone: 970-221-0438, IDL Book Orders: 1-888-461-0155