
Subject: Re: Resolve_all: bogus unresolved references
Posted by [Karsten Rodenacker](#) on Mon, 17 Nov 2003 08:25:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

In addition to the undefined procedures TRNLOG,DELLOG,SETLOG mentioned by William Gallery I get messages with quite standard routines:

```
% Attempt to call undefined procedure/function: 'COMPLEX'.
% Execution halted at: RESOLVE_ALL_BODY 280
D:\RS\IDL60\lib\resolve_all.pro
%          RESOLVE_ALL      332
D:\RS\IDL60\lib\resolve_all.pro
%          $MAIN$
...
% Attempt to call undefined procedure/function: 'DCOMPLEX'.
% Attempt to call undefined procedure/function: 'FIX'.
% Attempt to call undefined procedure/function: 'HANDLE_CREATE'.
% Attempt to call undefined procedure/function: 'MAKE_ARRAY'.
% Attempt to call undefined procedure/function: 'OBJ_CLASS'.
% Attempt to call undefined procedure/function: 'PTRARR'.
% Attempt to call undefined procedure/function: 'PTR_NEW'.
% Attempt to call undefined procedure/function: 'ROUTINE_NAMES'.
% Attempt to call undefined procedure/function: 'UINT'.
...
```

Maybe there is an idea in the group to mend that behaviour?

Regards

Karsten Rodenacker

William Gallery schrieb:

```
> I have an idl program I wish to distribute as an idl save set. When I run
> "resolve_all,/cont" on it, It lists three unresoved routines:
> ....
> % Compiled module: POLY_FIT.
> % Attempt to call undefined procedure/function: 'TRNLOG'.
> % Execution halted at: RESOLVE_ALL_BODY 117
> C:\RS\IDL56\lib\resolve_all.pro
> %          RESOLVE_ALL      162
> C:\RS\IDL56\lib\resolve_all.pro
> %          $MAIN$
> % Compiled module: COMBINE_SIGNALS.
> % Attempt to call undefined procedure/function: 'DELLOG'.
> % Execution halted at: RESOLVE_ALL_BODY 117
> C:\RS\IDL56\lib\resolve_all.pro
> %          RESOLVE_ALL      161
> C:\RS\IDL56\lib\resolve_all.pro
```

> % \$MAIN\$
> % Attempt to call undefined procedure/function: 'SETLOG'.
> % Execution halted at: RESOLVE_ALL_BODY 117
> C:\RS\IDL56\lib\resolve_all.pro
> % RESOLVE_ALL 161
> C:\RS\IDL56\lib\resolve_all.pro
> % \$MAIN\$
> % Compiled module: RESISTANT_MEAN.
> ...
>
> However, I have searched everywhere for anything named trnlog, dellog or
> setlog using:
>
> grep -iR trnlog ./
>
> I looked in the current directory and below, the main idl directory and
> below, and all directories included in !Path and below and found nothing.
> The program runs fine as is. I believe these messages are benign but I
> would like to find their cause.
>
> Is there a way to determine where trnlog is called from? Has anyone seen
> similar messages?
>
> IDL 5.6
> Windows NT
>
>
> Cheers
>
> Bill Gallery
> Frontier Technology, Inc.
>
>
