Subject: Re: Why does IDL get this wrong?
Posted by Paul Van Delst[1] on Mon, 05 Jan 2004 15:52:38 GMT
View Forum Message <> Reply to Message

Bruce Bowler wrote: On Fri, 02 Jan 2004 15:27:00 -0500, Ken Knapp put fingers to keyboard and said: >> Bruce Bowler wrote: >> >>> >>> Which works (even if entirely less than IOTTMCO (intuitivly obvious to >>> most casual observer}), but gets inordinately complex if the plot in >>> question is part of a multiplot. >> >> Sorry to but into the middle of this debate, but can't you use the >> YMARGINS keyword to adjust the position? That shouldn't complicate your >> multiplot. >> From your example, I tried: >> !p.multi=[0,3,3] >> for i=0,8 do begin >> plot, x, y, yrange = [-90, 90], /ystyle, /xstyle, \$ ytickformat = "(a1)",title = title, \$ >> xtitle = label, xrange = [0, 100], \$>> ticklen = -0.03,ymarg=[6,3] >> >> endfor >> ... and had no problem with the plots ... although the font was small. > Thanks Ken, > That does, indeed, do the trick. Now if only IDL was "smart" enough to do > that, by default :-) I dunno...I don't think I'd like a multi plot where each plot could have different automatic ymargins based on my axis title. Wouldn't look very nice (IMO). Same goes for multiple line plot titles. pauly Paul van Delst CIMSS @ NOAA/NCEP/EMC