
Subject: Re: I can't clear breakpoints using idlwave_shell
Posted by [JD Smith](#) on Wed, 28 Jan 2004 06:33:45 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Tue, 27 Jan 2004 17:21:30 -0700, Alan wrote:

> I'm running idl 6.0, idlwave-shell 5.2, gnu emacs 21.2.1 and RH9. I'm
> having the following problem with breakpoints: If I set a breakpoint at
> line 18 in file source.pro using C-c C-d C-b, and the message
>
> "breakpoint,'source.pro',18
>
> appears in the *idl* buffer, but the message
>
> "Failed to identify breakponit in idl"
>
> appears in the minibuffer.
>
> If I then list all the breakpoints, the new breakpoint appears in the
> list, and if I execute source.pro, execution stops at the new
> breakpoint, but the line is not marked in the source buffer.
>
> If I then try to delete the breakpoint using C-c C-d C-d, I get the
> message
>
> "Cannot identify breakpoint for this line"
>
> in the minibuffer, no message in the *idl* buffer, and the breakpoint is
> not removed.
> Any ideas how to fix this bug?

Sounds like a problem parsing the breakpoint listing, perhaps due to a
very long or unusual filename. Can you post the breakpoint list?

JD
