Subject: Re: Rapid "moving windows" access in IDL? Posted by Craig Markwardt on Fri, 30 Jan 2004 06:01:42 GMT

View Forum Message <> Reply to Message

```
Jonathan Greenberg < greenberg@ucdavis.edu> writes:
```

- > I'm trying to code a semivariance measure to analyze an image in IDL. Since
- > the call requires extracting data from a matrix a certain distance away from
- > the center pixel, is there a fast way of coding IDL to extract these
- > locations, or is am I doomed to have a very slow algorithm. Basic gist:

>

- > For a given pixel/matrix location, subtract off the value of the pixels
- > surrounding that pixel:

>

- > For pixel at A is at x,y
- B at x-1,y
- > C at x+1,y

- > Semivariance = $((A-B)^2 + (A-C)^2)/4$
- > Any suggestions?

Yes, how about

```
N = n_{elements}(A(*,0)) ;; Number of pixels per row
B = A(0:N-3,*); "left" pixel
Amid = A(1:N-2,*); "middle" pixels
C = A(2:N-1,*); "right pixels
semivariance = ((Amid-B)^2 + (Amid-C)^2)/4
```

Of course this array will have an row size of two less than the original. People who know me, also know that you can avoid some of the steps above by using a "trick" where IDL will automatically truncate arrays if they are too big, which means you can write the whole thing as:

```
Amid = A(1:*,*)
semivariance = ((Amid-A)^2 + (Amid-A(2:*,*))^2)/4
```

which is more cryptic, but it saves me from the tragic pain of figuring out what "N" is.

Happy semi-variancing, Craig

Craig B. Markwardt, Ph.D. EMAIL: craigmnet@REMOVEcow.physics.wisc.edu

Astrophysics, IDL, Finance, Derivatives | Remove "net" for better response

Page 2 of 2 ---- Generated from comp.lang.idl-pvwave archive