

---

Subject: Re: Yeeeeeeeeeeeeeeeeeeeeeeeees!  
Posted by [Nuno Oliveira](#) on Tue, 03 Feb 2004 15:02:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

It worked!!! I haven't done many tests but for now it seems it works.

I'm afraid that in a few days I discover that it gives me a problem somewhere else. I hope not, and for now I have a lot of work in front of me trying to make my tool.

Gracias, :),

Nuno.

"Nuno Oliveira" <nmoliveira@fc.ul.pt> wrote in message  
news:bvnvup\$1ca3\$1@pegasus.fccn.pt...

> Thanks, Bruce. I was looking in the tutorials and it was not clear the  
> working procedure of the where function (it is now?). It works on a mask  
> right? So if have result = where(xy) it would mean that xy is a matrix (in  
> the case 2-D) where de elements of the roi have value 1 and the others  
have

> value 0.

>

> So maybe the solution is seeking for i,j such that xy(i,j) eq 1. If true  
> then adding these (i,j) to a pointer and returning this two-dimensional  
> array? What do you say? I'm going to try.

>

>

>

> Cheers,

>

>

>

> Nuno.

>

>

>

> "Bruce Bowler" <bbowler@bigelow.org> wrote in message

```
> news:pan.2004.02.02.17.47.37.709701@bigelow.org...
>> On Mon, 02 Feb 2004 16:40:14 +0000, Nuno Oliveira put fingers to
keyboard
>> and said:
>>
>> Based on the fact that xy is the result of a "where", I'd assume that
the
>> single number returned is the "1 dimensional index that would result if
>> the 2 dimensional array were addressed at X,Y".
>>
>> --
>>
>+-----+-----+
>> Bruce Bowler      | To be great is to be misunderstood. - Ralph Waldo
>> 1.207.633.9600    | Emerson
>> bbowler@bigelow.org |
>>
>+-----+-----+
>>
>
>
```

---