
Subject: Re: compiling itools and utilities

Posted by [Nuno Oliveira](#) on Wed, 24 Mar 2004 15:14:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

Well, I made

```
lista = findfile('/rsi/idl_6.0/lib/obsolete/*.sav')
```

And the files are:

fw_load_extension.sav

fw_load_file.sav

fw_load_generic.sav

live_contour.sav

live_control.sav

live_destroy.sav

live_export.sav

live_image.sav

live_info.sav

live_line.sav

live_load.sav

live_oplot.sav

live_plot.sav

live_print.sav

live_rect.sav

live_style.sav

live_surface.sav

live_text.sav

then:

```
for i = 0, n_elements(lista)-1 do restore, lista(i)
```

After this I've compiled my project files and made the resolve_all and everything's ok. But what .sav file that was about 2M has about 10M, what is not very nice.

But there is still something strange. I did the help, /source after restoring those .sav files and that fw_updatewindow that missing is not listed as compiled.

Now I'm going restore one by one and try to see which file fixes the problem.

I'm going to start from that fw_load_extension.sav

But still it is not very clear to me what is going on... Shouldn't resolve_all restore those files? Is this because somewhere I'm using obsolete routines?

Cheers,

Nuno.

"David Fanning" <david@dfanning.com> wrote in message
news:MPG.1acb4c8d1eacc66298970f@news.frii.com...
> Nuno Oliveira writes:

>
>> I don't what SOBs are, :(
>
> It's a term of affection, used for close colleagues. :-)
>
>> What I saw from that help, /source is that many from are compiled from
the
>> fw_load_file.sav file. So I don't have access to the code.
>
> Ah, well. Here we are!
>
> If you are doing this by hand, you will have to restore
> all the save files *before* you compile your program.
> Then I don't think you will have any problem with the
> RESOLVE_ALL.
>
> Cheers,
>
> David
> --
> David Fanning, Ph.D.
> Fanning Software Consulting
> Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
