Subject: Re: Combobox / Droplist index problem Posted by basson on Mon, 02 Aug 2004 06:50:56 GMT

View Forum Message <> Reply to Message

"Christopher Lee" <cl@127.0.0.1> wrote in message news:<20040730.155357.1186452551.29225@buckley.atm.ox.ac.uk>...

- > In article <8f9f5929.0407300202.20215269@posting.google.com>, "Jacques
- > Basson" <basson@cyclops.nu.ac.za> wrote:

> >

- >> I have stumbled across a problem with retrieving the index in a combobox
- >> if you have some items with identical text.

>

- > I think the point of combobox is that you don't need to rely on the index
- > number, you get the value returned in the event (ev.str). Comboboxes also
- > allow the user to write their option in (if you allow it :) in which case
- > a -1 is returned for the index.

- > I suspect the combobox is returning the first result from a naive WHERE
- > command, hence the -1 when the selection isn't found in the original
- > list.

>

- > Also, what's the difference between the first '2', and the second '2'? How
- > does the user differentiate between them if they have the same labels?

> Chris.

I suspect that you're right about the WHERE - possibly some limitation of the motif toolkit (which is why it works on Windows).

As for the difference, obviously this is a contrived example (so that I don't post reams of irrelevant code), but the user (who may not think too hard) is providing the values that eventually appear in the combobox. Selecting a value will fill in another combobox with dates, and this allows the distinction to be made. Yes, it is bad practice on the user's side and may never occur, but I'd prefer to cater for it if possible.

Jacques