Subject: Re: xinteranimate
Posted by David Fanning on Wed, 15 Sep 2004 17:47:25 GMT
View Forum Message <> Reply to Message

Iminis Catun writes:

- > I would like to know if someone can give me insight on this:
- > I am using Xinteranimate to do an animation, but then I would like to
- > be able to see it without using IDL. Meaning that I want to creat a
- > MPEG file.
- > I tried to use in the first call of xinteranimate this:

>

- > XInteranimate,
- > Set= 100,100,40], /Showload,/TRACK,/MPEG_OPEN,MPEG_FILENAME=brain,\$
- > Title='brain'

>

- > and I close the mpeg in the last call for xinteranimate:
- > XINTERANIMATE, FRAME = k, IMAGE = TVRD(), mpeg_close

>

- > IDL is showing me an error that the execution halted at the first call
- > of xinteranimate. This error is fixed when I erase the MPEG_
- > keywords....

>

> How can I creat a mpeg file if this does not work?

I would have a look at the IDLgrMPEG object.

Cheers,

David

--

David W. Fanning, Ph.D.

Fanning Software Consulting, Inc.

Coyote's Guide to IDL Programming: http://www.dfanning.com/

Phone: 970-221-0438, IDL Book Orders: 1-888-461-0155