Subject: Re: extra and call method Posted by btt on Mon, 31 Jan 2005 15:43:24 GMT

View Forum Message <> Reply to Message

## David Fanning wrote:

```
> Ben Tupper writes:
>
>> I'm running on just one cup of coffee this morning so maybe this is a fuzzy
>> question: could you explain the circumstances in which this is useful? If you
>> return dummy named structure - well, what about all the work that goes into
>> populating its properties it via the INIT function? Or is this for simple data
>> structures (ala widget event structures, etc. ?)
>
> Since objects are implemented as named structures in IDL.
> I seem to find a number of instances where it would be
> helpful to know what the names of the fields in that object
> structure are. For example, one of the hugely time-consuming
> tasks in object writing is creating the GetProperty and SetProperty
> methods that allow you to manipulate and set/get values in the
> object structure. Wouldn't it be nice to automate those tasks
> and be able to get and set any property (field) in the object
> without necessarily knowing ahead of time what those properties
> might be? For example, I might like to respond to this:
>
    anObject -> SetProperty, Foo=5
>
>
  Without specifically having to define the FOO keyword for the object.
> If FOO were a field of this object, I could write a generic SetProperty
> method like this (I'm leaving out a couple of important details, but I
  plan an article soon):
>
  PRO myObject::SetProperty, _Extra=extra
>
    ; What keywords are you looking for?
>
    keywords = Tag Names( extra)
>
>
    ; What properties (fields) can be changed?
>
    Call_Procedure, Obj_Class(self) + '__define', struct; ************
>
    properties = Tag_Names(struct)
>
>
    ; Set the value of each field according to the keyword value.
>
    FOR j=0,N_Elements(keywords)-1 DO
>
      propertyIndex = Where(StrPos(properties, keywords[j]) EQ 0, match)
>
      IF match EQ 1 THEN self.(propertyIndex) = extra.(j)
```

```
ENDFOR
END
I can do something similar for a GetProperty method. Adding (copying, really) these two generic methods to every object I create, is MUCH
less time consuming than defining each and every keyword for each
and every property I hope to change.
Cheers,
David
```

Oh neat! Thanks, David. I recall that you have mentioned this before. Ben