

---

Subject: Re: IDL without X on Linux

Posted by [Benjamin Hornberger](#) on Thu, 03 Mar 2005 17:45:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Liam Gumley wrote:

> Benjamin Hornberger wrote:

>

>> Hi all,

>>

>> can I start IDL on Linux without an X server available? I frequently

>> run IDL on a Linux machine remotely, logged on from a Windows machine.

>> If the Windows machine doesn't run an X server at that moment, IDL

>> won't start ("X connection to localhost:11.0 broken (explicit kill or

>> server shutdown)").

>>

>> I know I somehow can run (non-interactive) IDL programs from a

>> cronjob, as long as they don't involve windows.

>>

>> I found the section "Command Line Options for IDL Startup" in the help

>> file, but it doesn't mention anything :-(.  
>>

>> Thanks,

>> Benjamin

>

>

> It is sometimes useful to run your IDL programs, graphics and all, even

> when you don't have an X connection. For this purpose, the Xvfb (X

> virtual frame buffer) utility is incredibly handy:

>

> <http://www.rsinc.com/services/techtip.asp?ttid=2382>

>

> If you want to run IDL graphics programs in the background, Xvfb is

> highly recommended.

That's cool. Thanks a lot! David, that might be another article for your web site.

Benjamin

---