
Subject: Re: MISSING_VALUE

Posted by [Matthias Demuzere](#) on Wed, 30 Mar 2005 07:10:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

Now the problem has moved. When the dataset is initially read in with read_ascii, I get the value NaN where it should....

BUT....I declare empty arrays (with zero's) in which I put a part of the original array. So where there is the value NaN, my new array now shows 0....Any solutions?

Hope I made myself clear!

Greetz,

Matthias

"David Fanning" <davidf@dfanning.com> wrote in message
news:MPG.1cb3231e1d37767198999f@news.frii.com...

> Matthias Demuzere writes:

>

>> At a certain point in the process, he's giving me the values 'NaN' where

>> there

>> are no values, so this is OK. But when I'm trying to plot the data, no

>> he's

>> giving a '0' value in my graph, so that isn't correct, there shouldn't be

>> any value at all...

>> Any helps??

>

> Well, that's not what happens *here*. :-)

>

> What kind of machine? What version of IDL? Are you

> *certain* this isn't a pilot error?

>

> Cheers,

>

> David

>

> --

> David Fanning, Ph.D.

> Fanning Software Consulting, Inc.

> Coyote's Guide to IDL Programming: <http://www.dfanning.com/>
