Subject: Re: Run-time Question
Posted by tbb0301 on Wed, 13 Apr 2005 11:05:10 GMT

View Forum Message <> Reply to Message

Well,

the lines certainly reads:

> SET IDL_DLM_PATH=%MY_DIST_DIR%\bin.x86;%IDL_DIR%\bin\bin.x86
> %IDL_DIR%\bin\bin.x86\idlrt.exe -vm %1

..sorry

Stephan

On Wed, 13 Apr 2005 tbb0301@mail.lrz-muenchen.de wrote:

> Hi,
>
> I put my DLM location (MY_DIST_DIR) in the batch file which starts the VM:
>
> ...
> SET IDL_DLM_PATH=%MY_DIST_DIR%\bin.x86;%IDL_DIR%\bin\bin.x86
> %IDL_DIR%\bin\bin.x86\idlde.exe %1
> ...
>
> Best regards
>
> Stephan
>
> On Tue, 12 Apr 2005, David Fanning wrote:
>
>> Folks,
>>
>> I have a run-time question.
>>
>> I have a run-time program that uses a DLL. I have the DLL
>> and DLM in IDL6.1/bin/bin.x86. No problem running on my
>> machine with the VM. Now we want to export it to a client
>> machine, where they can run it with the VM. Where are we
>> suppose to put the DLL and DLM files now?
>>
>> Thanks,
>>
>> David
>>

-- ------------------
Dr. Stephan Nekolla   Telefon: (49) (0) 89 4140-2959
http://www.nuk.med.tu-muenchen.de Fax: (49) (0) 89 4140-4938
Klinik und Poliklinik fuer Nuklearmedizin E-Mail: s.nekolla@lrz.tu-muenchen.de
Klinikum rechts der Isar der Technischen Universitaet Muenchen
Ismaningerstr. 22 D-81675 Muenchen
-- ------------------