

---

Subject: Re: iContour

Posted by [Giorgos](#) on Wed, 04 May 2005 13:47:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi again...

The problem is simple....sorry for not explaining well.

I have 3 arrays : 2 of them are float 2-D arrays and another one 2-D integer array.

So I want to have the integer array values in my x-axis and one of the other 2 in my y -axis having the last one set in the z\_axis.

When I do the contour in idl I can make the graph that I want and the axis take the value that is contained inside each cell of the array...meaning for example if array[9] = 3 then in my axis I have the number 3 ....but when I do the same provedure using the itool having the same arrays as variables in my axes I see for this example the value 9.

CODE EXAMPLE: contour, z, x, y where x, the integer 2\_D array and z and y 2\_D float arrays... IDL operates exaxlty as it is supposed...but id I load the same variables using icontour and try to do the contour in the axis I see only the numbers showing the columns of the x-axis and the the rows of the y-axis indicating positions and not the actual values incide the cells of these arrays.

Chris Torrence wrote:

> Hi Giorgos,

>

> I guess I don't understand your problem. Can you give some code examples,

> both in direct graphics (where you say it works fine), and in iTools code?

>

> Thanks.

>

> -Chris

>

> "Giorgos" <G.Aloizos@gmail.com> wrote in message

> news:1114845528.992236.219740@o13g2000cwo.googlegroups.com.. .

>> I have the following problem...

>> I have three 2-D arrays I want to make a contour using iTool...

>> anything goes well...but the only problem I face is that in the axis it

>> does not show the original values contained inside the arrays but just

>> the position of them....how can I solve this problem?

>> I want in the axis the original values to be contained.

>> If I do the contour using idl only I face no problem...but when using

>> iContour this problem arises...

>>

---