Subject: Re: CURSOR problems Posted by Ken Mankoff on Mon, 22 Aug 2005 20:47:16 GMT View Forum Message <> Reply to Message

Without running your code, I think I might have already dealt with this here:

http://groups-beta.google.com/group/comp.lang.idl-pvwave/bro wse thread/thread/a2c4c8a401d89bba/05b5e8ecdcca33af?q=mankof f+x11&rnum=1#05b5e8ecdcca33af

## Solution:

% defaults write com.apple.x11 wm\_click\_through -bool true

-k.

```
On Mon, 22 Aug 2005, Kenneth Bowman wrote:
```

- > Is anyone else having problems with CURSOR? I have never seen
- > this behavior before, and I have no idea if it is an IDL or an OS
- > issue. I am running IDL 6.1 on Mac OS X 10.4.2.

>

> If I run this program:

>

- > PRO TEST\_CURSOR
- > PLOT, FINDGEN(5)
- > CURSOR, x, y, /DATA
- > PRINT, x, y
- > END

>

- > it opens an X window and draws the graph. I click on the graphics
- > window to change keyboard focus. Clicking in the window has no
- > effect. I click back to my terminal window and interrupt
- > execution with control-C. Moving the mouse back to the graphic
- > window produces an event just as the mouse enters the window (see
- > below).

>

- > IDL> test\_cursor
- > ^C% Interrupted at: TEST\_CURSOR
- > /Network/Servers/csrp.tamu.edu/Volumes/csrp0/Home/bowman/id
- > I/test/test cursor.pro
- > IDL> .c
- -0.34877722 1.8760835 >

> This behavior renders CURSOR completely non-functional.

>

-

Page 2 of 2 ---- Generated from comp.lang.idl-pvwave archive