
Subject: Re: Tab Widgets changes at runtime?
Posted by [Gianluca Li Causi](#) on Wed, 12 Oct 2005 10:26:21 GMT
[View Forum Message](#) <> [Reply to Message](#)

Ops!

It was so simple... but I've not thought about!
...that because of using GUI builder.

Thanks a lot Doug.

Gianluca

Doug wrote:

> Gianluca,
>
> You should be able to add tabs by creating new bases with the tab widget as
> their parent. Delete tabs by applying widget_control's "destroy" keyword to
> a specific child base of the tab.
>
> Here's some sample code:
>
> pro delete_tab_event, e
> widget_control, e.id, get_uvalue = tabBase
> widget_control, tabBase, /destroy
> end
>
> pro add_tab_event, e
>
> widget_control, e.id, get_uvalue = tabControl
>
> newTab = widget_base(tabControl, title = 'Some Title')
> deleteButton = widget_button(newTab, \$
> value = 'Delete Me', \$
> uvalue = newTab, \$
> event_pro = 'delete_tab_event')
>
> end
>
> pro adding_tabs
>
> topBase = widget_base(/column)
>
> tabControl = widget_tab(topBase, xsize = 300)
>
> addTabButton = widget_button(topBase, \$
> value = 'Add New Tab', uvalue = tabControl, \$
> event_pro = 'add_tab_event')

>
> widget_control, topBase, /realize
> xmanager, 'adding_tabs', topBase
>
> end
>
> Hope this helps.
>
> Doug
>
> "Gianluca Li Causi" <lcausil@mporzio.astro.it> wrote in message
> news:1129040656.595058.149910@g14g2000cwa.googlegroups.com...
>> Hi all,
>>
>> I've the following problem: I have a nice tab widget with N tabs and I
>> want to add new tabs or delete some of them on the basis of some user's
>> choice.
>>
>> I've noticed that Widget_Control and Widget_Info cannot control
>> adding/deleting tabs, so is there a way to do this?
>>
>> Thanks a lot!
>> Gianluca
>>
