
Subject: Re: Adobe 7.0 in IDL

Posted by [JD Smith](#) on Tue, 25 Oct 2005 21:34:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Tue, 25 Oct 2005 09:18:17 -0700, Steve.Morris wrote:

```
>
>> Try the command: M-x browse-url <enter: http://google.com> and see what
>> happens first.
> Thanks, this is now set :))
> I have gone to customization and then set up lynx-emacs in Browse Url
> Browser Function.
>
> Actually there's a bunch of other browser, but I didn't find w3m. Anyhow
> it works perfectly fine with lynx (alternatively I have tried with
> mozilla, just to ensure things work)
>
>
>> If you don't get either, you've not configured emacs correctly. This
>> needs to be done before you can get the idlwave help system as it uses
>> URLs for its help pages.
>
> But still, I cannot manage to open the online help! If I put the following
> line in my .emacs
>
> (setq idlwave-help-browser-function 'lynx-emacs-browse-url)
>
> or this one
> (setq idlwave-help-browser-function 'lynx-browse-url)
>
> then I get the usual Wrong type argument: listp, lynx-emacs-browse-url
>
> (alternatively I have tried with  setq idlwave-help-browser-function
> 'mozilla-emacs-browse-url  but it's always the same story)
>
> The only way to have a pop up at the help call is to have (setq
> idlwave-help-browser-function 'w3m-emacs-browse-url)
>
> but then nothing is seen (and w3m is not displayed in the possible browser
> when setting up Browse Url Browser Function... there is emacs w3 that I
> wonder what's and I didn't manage to make it work) :(
>
> What's wrong??? Say I want to use lynx what should I do?
```

I'm not sure where you are getting these function names, but they're not correct. If you set it up with customize to work, and say "save for future sessions" this should be a non-issue. Just remove the help-browser-function line from your .emacs, and IDLWAVE will default

to the system-wide browser. You only really need this variable if you want different browsers in IDLWAVE vs. other Emacs stuff.

JD
