
Subject: Re: Adobe 7.0 in IDL

Posted by [Steve.Morris](#) on Tue, 25 Oct 2005 13:25:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

> Having trouble following you here. Try this. Open a file named foo.pro.
> In it, type:
>
> a=convol(
>
> and with the cursor after the "(", hit M-?. You should have a browser
> popup to the CONVOL page, or a message about problems Emacs is having
> opening a browser.

Yep, an Emacs window pop-up, but no help written. Just get white screen
and a message about Emacs having problems in opening :

Wrong type argument: listp, w3m-browse-url

> Have you actually installed w3m?
w3m is installed, but maybe is somehow not in my emacs?
If in the .emacs file I try to put firefox or mozilla, than is even
worse and neither the white screen pop-up

> can configure your default browser like M-x customize [RET]
> browse-url-browser-function [RET] and try the various methods until you
> find one which works. Then just "save for future sessions" and you should
> be good to go.

These are the possible completation when hitting M-x browse-url-

browse-url-at-mouse browse-url-at-point
browse-url-cci browse-url-default-windows-browser
browse-url-generic browse-url-gnome-moz
browse-url-grail browse-url-iximosaic
browse-url-kde browse-url-lynx-emacs
browse-url-lynx-xterm browse-url-mail
browse-url-mmm browse-url-mosaic
browse-url-netscape browse-url-netscape-reload
browse-url-of-buffer browse-url-of-dired-file
browse-url-of-file browse-url-of-region
browse-url-w3 browse-url-w3-gnudoit

thanks again!
