Subject: Re: Adobe 7.0 in IDL Posted by JD Smith on Tue, 25 Oct 2005 00:42:57 GMT View Forum Message <> Reply to Message

On Mon, 24 Oct 2005 14:46:37 -0700, Steve. Morris wrote:

> I'm not actually quite sure I'm doing things properly :((

>

- > I have completion only if I open IDL in my emacs, i.e. I have to hit C-c
- > C-s and then for a given command in the IDL command line I get a
- > completion or a list of possible completion. But not in the emacs file
- > right away. Also, nothing happens when I hit M-? or C-c? (is
- > posssible because in my keybord? is called with shift-+
- > combination???)

>

- > In any case, if from the idl command line (open by C-c C-s I right
- > click on one of the possible combination, nothing happens but I get the
- > following message Wrong type argument: listp, firefox-browse-url).
- > However, if in .emacs I set the following way
- > (setq idlwave-help-browser-function 'w3m-browse-url)
- > a new emacs window pop-up, with the title \*IDLWAVE Help\*, but nothing
- > is displayed and the message Wrong type argument: listp, w3m-browse-url
- > still appear.

>

- > I feel really like a stupid but I fear I'm missing something very
- > basic, indeed.... :(

>

> Here is my .emacs as it looks right now

Having trouble following you here. Try this. Open a file named foo.pro. In it, type:

a=convol(

and with the cursor after the "(", hit M-?. You should have a browser popup to the CONVOL page, or a message about problems Emacs is having opening a browser. Have you actually installed w3m? It doesn't come with Emacs by default (and requires an external command-line tool). You can configure your default browser like M-x customize [RET] browse-url-browser-function [RET] and try the various methods until you find one which works. Then just "save for future sessions" and you should be good to go.

JD