
Subject: IDL & UNIX pipes

Posted by [ph2tjh](#) on Mon, 03 Jul 1995 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Can anyone suggest any solutions or sources of information for the following problem I am encountering?

I am developing an IDL graphical interface for a very large suite of FORTRAN programs. Basically the IDL spawns slightly modified versions of the FORTRAN programs and then communicates with them via a bi-directional UNIX pipe which is created using the UNIT keyword to the SPAWN command. This process works fine on Sun and DEC machines, but seems to fail on an HP 9000 (the development is for all 3 platforms). Can anyone suggest a reason/solution for this?

The method I am using therefore has roughly the following form:

IDL: spawn, 'prog1.out', unit=pipe, /noshell, PID=pid

FORTRAN: WRITE(6, *) X, Y
 CALL FLUSH(6) (FFLUSH for HP) - this flushes the pipe

IDL: dummy1 = 0.0
 dummy2 = 0.0
 readf, pipe, dummy1, dummy2
 x = dummy1
 y = dummy2

Experience has shown that it is necessary to regularly 'flush' the UNIX pipe from the FORTRAN end and that it is also unwise to read from the pipe directly into a useful variable. This process works fine (as I said) on Sun and DEC machines, but on an HP 9000 all I can get out of the pipe on the IDL end are zeroes or nothing at all.

Quite an esoteric question that, but any suggestions gratefully received.

Tim Hammond.

hammond@solg2.bnsc.rl.ac.uk
