
Subject: Colorbar with Color levels different than ticklevels

Posted by [newbie16](#) on Tue, 07 Feb 2006 19:26:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Everyone:

Like the subject heading suggests, I am trying to have a colour bar inserted with a smooth transision of colours (about 60) from the min to max values. However, I only want the tickmarks to occur evenly spaced on ten levels. I must be missing something simple here, but for the life of me I can't figure it out....

Changing divisions makes a mess.

I can get a colour bar with only ten colours fine, but doesn't show what I need.

Hmmm....

Any help is greatly appreciated.

Cheers,

Tyler

Below is the relevant code I am using:

```
; Must define the levels used for contours
nlev = 10 ; Total number of contours
lev = nlev - 2 ; For the contours which are plotted
                ; -2 b/c MAX and MIN are not plotted
cont_lev = lev + 1 ; For the colour bar "tickmarks"
                ; cont_lev = the number of INTERVALS

; Label all values except the max & min using vector of 1's
label_tmp = replicate(0,lev) ; change 0 to 1 for labels
g_labels = [0, label_tmp, 0]

; Create vector for levels
grv_tot = abs(grv_max) + abs(grv_min) ; b/c range (+) to (-)
grv_int = grv_tot/(cont_lev)
grv_lev = fltarr(nlev,/no)
grv_lev = indgen(nlev)*grv_int + grv_min

; Test that the contour levels are correct
print, '-----'
print, 'The minimum gravity value is:', grv_min
print, 'The maximum gravity value is:', grv_max
print, "
```

```

print,'The contour intervals are:'
for j = 0L,9L do begin
    print, grv_lev(j), g_labels(j)
endfor
print, '-----'

```

```

; Now must define num_colours for the shading between contours
nc_lev = 60 ; The number of gravity contours
num_colours = nc_lev - 1 ; The number of colour intervals
col_int = (abs(grv_max) + abs(grv_min)) / (num_colours)
col_lev = findgen(nc_lev) * col_int + grv_min

bott = 35 ; Starting colour value out of 255
c_colours = findgen(nc_lev) * 220/nc_lev + bott

; load the colour table (rainbow here)
loadct, 13

; Plot the gravity colours using c_colours and col_lev
contour, NEW_GRAVITY, NEW_X_ARRAY, NEW_Y_ARRAY,$
    levels = col_lev, c_colors=c_colours, $
    /FILL, /OVERPLOT

; Overplot the ten contours using g_labels and grv_lev
contour, NEW_GRAVITY, NEW_X_ARRAY, NEW_Y_ARRAY,$
    levels = grv_lev, c_labels=g_labels, c_colors=1,$
    /OVERPLOT

; Place colourbar below the figure
colorbar, ncolors=num_colours,title='microgals',$
    position=[0.1, 0.1, 0.9, 0.14], divisions=cont_lev, $
    range=[min(grv),max(grv)], FORMAT='(F6.1)'

```
