Subject: Re: Intel iMac IDL performance Posted by K. Bowman on Tue, 28 Feb 2006 20:28:26 GMT View Forum Message <> Reply to Message

In article <pan.2006.02.27.22.35.29.385927@as.arizona.edu>, JD Smith <jdsmith@as.arizona.edu> wrote:

- > Good news. Can you try running your benchmark a few time, Ken?
- > Rosetta is not an emulator, but a caching code translator. When it
- > encounters code it has already translated, it simply uses its cached
- > version of that, which should run somewhat faster, so it's not unusual
- > to have the second and later runs of a given benchmark speed up. Can
- > you also run:
- > > IDL> time_test3
- > a few times? On my PB G4, that takes 3.6s/0.13s total/geom. mean.
- > Sadly, I expect the iBook Intel/MacBook Pro to beat these numbers even
- > under Rosetta. One other good one to try:
- > IDL> a=randomu(sd,100L*!CPU.TPOOL MIN ELTS)
- > IDL> t=systime(1) & a=sqrt(a)/(a>0.5) & print,systime(1)-t
- > which shows how well the threading is working on ~40MB of data. On my
- > PBG4, this takes 1.8s.
- > Thanks,
- > > JD

>

Hi. JD.

I ran JD's benchmark, along with time_test3 and my personal benchmark. The results are summarized here:

http://idl.tamu.edu/mac_bench.php

I ran all tests 3 times. Variations between individual runs was at the 10% level. (Re-running did not produce significant changes in speed.)

The Intel iMac is faster than my (relatively new) PowerBook G4, but slower than a high end G5 desktop.

Multi-threading on the quad-processor G5 seems to work quite well.

I ran a few other non-IDL tests. TeX, with the TeXshop front-end, is amazingly fast.

Page 2 of 2 ---- Generated from comp.lang.idl-pvwave archive