
Subject: IDL vs AVS

Posted by [rrubin](#) on Tue, 15 Aug 1995 07:00:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello again,

I realized that in the last line of my previous post I asked for a comparison between IDL and ISG. Well, I meant to include AVS as well. [I love all those three letter acronyms]

Sorry for the error,

Rick

--Previous Post Follows--

I'm currently evaluating software to segment CT data into objects and then animate the objects individually either as mesh renderings or as voxel points. I'm also going to have to write data import filters for Siemens images files (ACR-NEMA standard based).

I've received a brochure from IDL and I've seen the "7 minute demo" but they don't deal specifically with manipulating volume data in the manner that I wish to. I've also got a demo copy of AVS (Advanced Visual Systems). Given that I'm a novice in medical imaging and the prices for these packages, I don't feel secure making my decision based on the information I have now.

I am hoping that one of you, who works with similar data, could objectively counsel me on the merits and pit-falls of IDL and ISG.

Thanks in advance,

Rick

--End of Previous Post--

Rick Rubin -===== _ ~_
Biomedical Engineering) L4 (~{ } \ ~) McGill Orthopedic
(514) 842-1231 x5271 ~XXXXX= (~) ~=-__) Research Laboratory
(514) 843-1699 :FAX -XXXXX- _ ~\ _ Royal Victoria Hospital
rrubin@) L5 (~{ } \ ~~~) 687 Pine W., Rm L4.55,
orpla.rvh.mcgill.ca ~===== ~ ~=-__) Montreal, Que. H3A 1A1
