
Subject: Re: Trouble with CW_BGROUP events
Posted by [Andrew Cool](#) on Tue, 13 Jun 2006 22:39:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

Phillip Bitzer wrote:

> Thanks, everything works great now. Curious, why does cw_bgroun return
> 0 or 1 as the value? I was under the impression that if you specify the
> button_uvalue keyword, then the corresponding value would be returned
> (here 1 or 2).

Phillip,

The online help says :-

BUTTON_UVALUE

An array of user values to be associated with each button and returned in the event structure. If this keyword is set, the user values are always returned, even if the any of the RETURN_ID, RETURN_INDEX, or RETURN_NAME keywords are set.

Note : "returned in the event structure."

If you insert a help,/structure, event at the top of the event handler procedure, then
you'll see something like this :-

ID	LONG	20
TOP	LONG	13
HANDLER	LONG	13
SELECT	LONG	1
VALUE	STRING	'2'

where the field event.value contains your stipulated button_uvalue,
hence
you could try :-

Case event.value of
'1'
'2'
etc

but that would fail when the event is generated by another widget
that
doesn't have a Value field in its structure.

Have you read the Building Applications manual, or bought David
Fanning's book,
subtitled "The Joy of Widgets"?

Cheers,

Andrew
