
Subject: Re: Refine a vector layer in ENVI
Posted by [cpadwick](#) on Tue, 27 Jun 2006 20:38:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Jenny,

ENVI lets you move newly added vectors as a whole, but not ones you are editing...the assumption being that your vector layers may be off as a whole and that might be better handled with a warp operation instead.

hope that helps,

Chris

Jenny wrote:

> Hi Chris, you are absolutely right about the projections! The Landsat
> image was in UTM, and the shapefiles in Stereographic. I just
> reprojected the Landsat TM to Stereographic too, and it works fine now!

>

>

> May I ask you more question: Is there a way to reduce the number of
> nodes of a vector all at once? there are many nodes associated with my
> vector, it takes a while to adjust only a apart of it. I don't care too
> much about the final accuracy of my vector layer as long as it shows
> the right outline of the lakes.

>

> It would be great if ITT could add more functions to the Vector
> Parameter dialog in the next version of ENVI. Such as to shift the
> whole vector layer a bit.

>

> Many thanks,

> Jenny

>

>

>

> cpadwick@ittvis.com wrote:

>> I'm wondering if it's something specific to either the shapefile or the
>> Landsat image. Can you find out the projection info for both files you
>> are using?

>>

>> Chris

>>

>> Jenny wrote:

>>> Hi Chris,

>>>

>>> Thanks for your reply. I'm using ENVI 4.2 too. I just repeated what you
>>> tried and the vector is fine like you said, the nodes didn't move. I'm
>>> wondering if it has something to do with my old shapefiles. I'll try

>>> more and keep you posted.

>>>

>>> Regards,

>>> Jenny

>>>

>>> cpadwick@ittvis.com wrote:

>>>> Hi Jenny,

>>>>

>>>> I just tried a test with ENVI 4.2 and was not able to repeat the

>>>> behavior you described. Here's what I tried:

>>>>

>>>> -open bhtmref.img in the default data directory

>>>> -display it

>>>> -click Overlay->Vectors. Vector parameters comes up

>>>> -click File->Create New Layer. Choose layer name and output file,

>>>> click ok.

>>>> -Available Vectors List comes up. Load the new layer into the display.

>>>> -in the Vector Parameters Dialog, click Mode->Add New Vectors

>>>> -draw some polygons on the screen and save them

>>>> -Click Mode->Edit Existing Vectors

>>>> -select a vector and move its nodes around. When finished right

>>>> click->Accept Changes

>>>>

>>>> The nodes stay where I placed them, and I don't notice any movement

>>>> like you described. What version of ENVI are you working with?

>>>>

>>>> Chris

>>>>

>>>>

>>>>

>>>>

>>>> Jenny wrote:

>>>> > I've come across the following problems several times, and I'm

>>>> > wondering if somebody know a way to fix it. I have shapefiles of lakes

>>>> > in a region, which was produced about 40 years ago. When I overlay the

>>>> > lake shapefiles to a recent Landsat image, the shapefiles do not

>>>> > outline the lakes exactly for the area of the lakes have changed over

>>>> > the years. So I want to edit the vector layer to make it fit the

>>>> > outline of the lakes in my Landsat image. This doesn't seem to be

>>>> > difficult using the Vector Parameters dialog in ENVI (Mode/Edit

>>>> > existing vectors). However, when I drag the nodes to move them in the

>>>> > desired location in the right side of the vector layer, the whole

>>>> > vector (or the left side of it) moves too! When I fixed all the

>>>> > problems in the right side and saved it to the layer, and start

>>>> > editing the left side, the right side of the vector layer moves again

>>>> > with each editing. Thus I can never make it fix a whole lake.

>>>> >

>>>> > Does anybody have similar experience? Or is this a bug?

```
>>>> >  
>>>> > Thanks,  
>>>> > Jenny
```
